AMENDMENT OF SOLICIT	'ATION/MODIFI	CATION OF CONTRACT	1. CONTRAC	CT ID CODE	PAGE O	F PAGES
		CATION OF CONTRACT			1	2
2. AMENDMENT/MODIFICATION NO.	3. EFFECTIVE DATE	4. REQUISITION/PURCHASE REQ. NO.		5. PROJECT	NO.(If applic	:able)
0002	10-Feb-2004	W68MD9-3314-5415				
6. ISSUED BY CODE	W912DW	7. ADMINISTERED BY (If other than item 6)	) C	ODE		
USA ENGINEER DISTRICT, SEATTLE ATTN: CENWS-CT 4735 EAST MARGINAL WAY SOUTH SEATTLE WA 98134-2329		See Item 6				
8. NAME AND ADDRESS OF CONTRACTOR	(No., Street, County	, State and Zip Code)	X 9A. AMEND W912DW-04	MENT OF SO -R-0011	OLICITAT	ON NO.
			X 9B. DATED 22-Jan-2004	(SEE ITEM 1		
			10A. MOD. 0	OF CONTRA	CT/ORDER	NO.
CODE		_	10B. DATED	(SEE ITEM	113)	
CODE 11. 7	FACILITY COL THIS ITEM ONLY AI	DE L PPLIES TO AMENDMENTS OF SOLI	CITATIONS			
X The above numbered solicitation is amended as set for		i	is extended,	X is not exte	ended.	
Offer must acknowledge receipt of this amendment p  (a) By completing Items 8 and 15, and returning  or (c) By separate letter or telegram which includes a RECEIVED AT THE PLACE DESIGNATED FOR T REJECTION OF YOUR OFFER. If by virtue of this a provided each telegram or letter makes reference to the	copies of the amendment reference to the solicitation of the RECEIPT OF OFFER amendment you desire to ch	nt; (b) By acknowledging receipt of this amendment and amendment numbers. FAILURE OF YOUS PRIOR TO THE HOUR AND DATE SPECIF tange an offer already submitted, such change ma	nent on each copy of the UR ACKNOWLEDGM IED MAY RESULT In The Bade by telegran	ne offer submitte MENT TO BE N	ed;	
12. ACCOUNTING AND APPROPRIATION D	ATA (If required)					
		O MODIFICATIONS OF CONTRACTS T/ORDER NO. AS DESCRIBED IN IT				
A. THIS CHANGE ORDER IS ISSUED PUR CONTRACT ORDER NO. IN ITEM 10A	RSUANT TO: (Specif			ARE MADE I	IN THE	
B. THE ABOVE NUMBERED CONTRACT/ office, appropriation date, etc.) SET FOR				such as chang	ges in payin	g
C. THIS SUPPLEMENTAL AGREEMENT	IS ENTERED INTO F	PURSUANT TO AUTHORITY OF:				
D. OTHER (Specify type of modification an	d authority)					
E. IMPORTANT: Contractor is not,	is required to sig	gn this document and return	copies to the issu	ing office.		
<ol> <li>DESCRIPTION OF AMENDMENT/MODIF where feasible.)</li> <li>W912DW-04-R-0011, SNOQUALMIE RIVER PI</li> </ol>	_			-	ter	
1. This Amendment Two (0002) provides fo	r the following:					
a. Revisions to Section 00110.						
b. Modification No. 2 dated 6 February 20	04, to Davis Bacon W	/age Determination No. WA030001, is	hereby incorpora	ated into the	solicitation.	
c. !!!CAUTION TO OFFERORS!!!						
Acquisition of real estate has been of	completed by the Gov	vernment.				
Except as provided herein, all terms and conditions of the c	locument referenced in Iter	n 9A or 10A, as heretofore changed, remains unc	changed and in full for	ce and effect.		
15A. NAME AND TITLE OF SIGNER (Type of	or print)	16A. NAME AND TITLE OF CO	ONTRACTING O	FFICER (Typ	pe or print)	
		TEL:	EMAIL:	<u> </u>		
15B. CONTRACTOR/OFFEROR	15C. DATE SIGNE	D 16B. UNITED STATES OF AME	RICA	16	C. DATE S	IGNED
	-	BY		1	10-Feb-200	4
(Signature of person authorized to sign)		(Signature of Contracting Of	fficer)			

- d. Amendment Three (0003) will be forthcoming with technical changes to the solicitation.
- 2. The attached revised sections are to be replaced in their entirety. Specification changes are generally identified, for convenience by strikeout for deletions, and underlining of text for additions. All portions of the revised or new pages shall apply whether or not changes have been indicated.
- 3. The proposal due date and time remain unchanged as follows:
  - 24 February 2004 at 2:00 p.m., LOCAL TIME
- 4. NOTICE TO OFFERORS: Offerors must acknowledge receipt of this amendment by number and date on offer or by telegram. Please mark on outside of the envelope in which the offer is enclosed to show amendment received.

Encl:

Section 00110 (revised)

Davis Bacon Wage Determination No. WA030001, Mod 2 dated 6 February 2004

#### SECTION 00110

### TABLE OF CONTENTS

### 1. INTRODUCTION

- A. Invitation
- **B.** Project Description

#### 2. EVALUATION FACTORS

- A. Technical Evaluation Factors
  - 1. Relevant Experience of Firms Proposed
  - 2. Qualifications of Proposed Key Team Members
  - 3. Past Performance, Customer Satisfaction, Timely Performance
  - 4. Extent of Small Business Participation
- **B.** Basis of the source selection evaluation
  - 1. Acceptable
  - 2. Non Acceptable

## 3. GENERAL SUBMITTAL REQUIREMENTS

- A. Technical Proposal
- B. Price

### 4. MINIMUM SUBMITTAL REQUIREMENTS

- A. Relevant Experience of the firms proposed for team with similar projects
- B. Qualifications of proposed key team members
  - 1. Project Manager
  - 2. Contractor Quality Control System Manager
  - 3. Project On-site Superintendent
- C. Past Performance of the Prime
  - 1. Offeror Submitted Surveys
  - 2. Minimum Submittals for Surveys
- **D.** Extent of Small Business Participation

# 5. PROPOSAL CONTENTS/FORMAT

- A. Technical Proposal Format Information
- **B.** Technical Proposal Format
- C. Price Proposal Format
- D. Price Proposal
- E. Additional Information

- 1. General Information
- 2. Bid Bonds

### 6. PROPOSAL EVALUATIONS AND AWARD

- A. Conforms to RFP
- **B.** Technically Acceptable Lowest Price Offer
- **C.** Determined Best Interest of the Government
- D. To Be Considered for Award
- E. Price
- F. Award
- **G.** Competitive Range
  - 1. Competitive Range Information
  - 2. Discussions

# 7. DEBRIEFINGS

- A. Pre-award
- **B.** Post-award

### 8. PROPOSAL EXPENSES AND PRE-CONTRACTOR COST

# SECTION 00110 PROPOSAL SUBMISSION AND EVALUATION

#### 1. INTRODUCTION.

- 1.1. Your firm is invited to submit a proposal in response to Request for Proposal No. W912DW-04-R-0011 entitled 'Snoqualmie River Project Bridge & Trestle Demolition, Snoqualmie Falls, King County, Washington." Prospective offerors are required to prepare and submit proposals that will be evaluated in accordance with this section of the solicitation. In accordance with Federal Acquisition Regulations (FAR), Part 15.101-2, proposals will be evaluated using the lowest price technically acceptable source selection process. The evaluation process will be to first determine those proposals that are technically acceptable and then from those proposals determine which firm is the lowest price. The firm offering the lowest price technically acceptable offer will be awarded the contract.
- **1.2**. It is the intent of the Government to make award based upon initial offers, without further discussions or additional information. Therefore, proposals should be submitted initially on the most favorable terms from a price and technical standpoint. Do not assume you will have the opportunity to clarify, discuss or revise your proposal.
- **1.3. Project Description** The Seattle District US Army Corps of Engineers has a requirement to do bridge and trestle demolition at the Snoqualmie River Project, Snoqualmie Falls, Washington. The project consists of demolition of approach trestle and pilings, timber bridge piers, and steel truss bridge.

# 2. EVALUATION FACTORS.

- 2.1. Technical Evaluation Factors.
  - **2.1.1. The technical evaluation factors** identified below will be evaluated on an ACCEPTABLE/NON-ACCEPTABLE basis only:
    - **2.1.1.1**. Relevant Experience of Firms Proposed
    - **2.1.1.2**. Qualifications of Proposed Key Team Members
    - **2.1.1.3**. Past Performance, Customer Satisfaction, Timely Performance
    - **2.1.1.4**. Extent of Small Business Participation
- **2.2.** Basis of the source selection evaluation This Section establishes the method to be implemented with regard to the evaluation of the proposals. Evaluation is to be based exclusively on the merits and contents of the proposal and any subsequent discussions required. Offerors not meeting the minimum requirements of *all* technical evaluation factors shall be determined to be **NON-ACCEPTABLE** and will not be considered for award. Technical Proposals will be evaluated on an **ACCEPTABLE** or

**NON-ACCEPTABLE** basis only. Proposals must set forth full, accurate, and complete information as required by this RFP. Absence of information will be deemed as if no support for that factor was provided. Award will be made to the lowest price technically acceptable offeror.

# 2.2.1. Technical Evaluation Ratings - Definitions

- **2.2.1.1. Acceptable**: An acceptable rating indicates that the offeror has provided sufficient information to meet the **minimum** qualifications/standards described in the technical evaluation factor.
- **2.2.1.2. Non-Acceptable**: A non-acceptable rating indicates that the offeror has not provided sufficient information to meet the **minimum** qualifications/standards described in the technical evaluation factor.

# 3. GENERAL SUBMITTAL REQUIREMENTS.

- 3.1. Proposals shall be submitted in two parts: (a) technical proposal, and (b) price **proposal**. Each shall be submitted in a separate envelope or package with the type of proposal (i.e., technical or price) clearly printed on the outside of the envelope or package. The maximum number of pages in the technical proposal should not exceed 60 one-sided pages with a font size no smaller than 10 point. Offerors submitting proposals should limit submission to data essential for evaluation of proposals so that a minimum of time and moneys are expended in preparing information required by the RFP. Proposals are to be on 8 ½ x 11-inch paper, to the maximum extent practicable, and submitted in standard letter (8½ x 11-inch) hardback loose-leaf binders. Contents of binders shall be tabbed and labeled to afford easy identification from the proposal Table of Contents. No material shall be incorporated by reference or reiteration of the RFP. Any such material will not be considered for evaluation. It shall be presented in a manner which allows it to "STAND ALONE" without need for evaluators to reference other documents. Table of Contents, Index Tabs, and Photographs will not be considered a page. Unnecessarily elaborate brochures or other presentation materials beyond those sufficient to present complete and effective responses are not desired and may be construed as an indication of the Offeror's lack of cost consciousness. Penalty for making false statements in proposals is prescribed in 18 U.S.C. 1001.
- **4. MINIMUM SUBMITTAL REQUIREMENTS:** The following criteria will be utilized as evaluation factors for award. Contractors shall submit documentation to demonstrate they meet the requirements of the criteria listed below. An unacceptable determination on any one criterion will deem the entire proposal to be unacceptable.
- **4.1. Relevant Experience of the firms proposed for the team with similar projects**: The Offeror shall submit projects demonstrating relevant experience. "Relevant experience" is defined as work involving submerged rock and unclassified excavation near existing facilities, structures and public areas involving removal of bridges over water, which is similar in scope, cost and complexity to the project in this solicitation. Using the format below, provide a list of at least three (3) specific projects that were completed within the last ten years. Start with the most recent and relevant projects and work backwards in time. The projects selected should clearly

demonstrate the capabilities of the Offeror in one or more of the areas listed in paragraph 4.1.1. Each of the areas listed in paragraph 4.1.1 must be demonstrated in at least one (1) of the projects selected.

- **4.1.1 Examples of Relevant Experience**: Examples of relevant experience of the firm are projects including:
  - a) Bridge demolition in the State of Washington;
  - b) Removal of pilings in submerged lands;
  - c) Removal of bridges over water.

### At a minimum, for each project listed, provide:

- 1) Project title and location
- 2) Dollar value of construction
- 3) Construction period (month/year start to month/year end)
- 4) Description of the project scope of work
- 5) Brief description of how the project is relevant, and meets the requirements of this RFP project.
- 6) Current primary point of contact for the customer (name, relationship to project, agency/firm, city and state, phone number).
- **4.2. Qualifications of proposed key team members**: Provide qualifications, in the resume format given in paragraph 2.4 below, for the KEY individual team members proposed this project. The Key team members are those listed below. In addition, the Offeror must provide a concise summary of the duties and responsibilities for each of the proposed individuals that clearly indicates separate duties and responsibilities for each of the positions. Individuals may have more than one role. The proposal must clearly present the separate credentials for each position and each person performing the duties of the position to which they are identified. Resumes must include a minimum of three (3) examples of project experience and educational qualifications, where applicable. It is expected that the key individuals in your proposal will be the individuals who perform work under the contract. The Contracting Officer must approve substituted personnel. Resumes should be no more than two pages per individual and submitted in a format similar to the one shown below. At a minimum, resumes must be provided for the following individuals:
- **4.2.1. Project Manager:** The Project Manager shall-have a degree in civil engineering, construction management, or engineering management with a minimum of five (5) years as a project manager on projects of the same scope, size and complexity as this solicitation be a construction person with a minimum of ten (10) years managing projects of the same scope, size and complexity as this solicitation. Experience must have occurred within the past ten (10) years.
- **4.2.2.** Contractor Quality Control (CQC) System Manager: The CQC (Contractor Quality Control) System Manager shall be a graduate engineer, graduate architect, or a graduate of construction management, with a minimum of 5 years construction experience on construction similar to this contract or a construction person with a minimum of ten (10) years in related work. Experience must have occurred within the past ten (10) years.

**4.2.3. Project On-site Superintendent**: The Project Superintendent shall have no less than five (5) years experience as a project superintendent on construction projects of similar scope, size and complexity. The experience must demonstrate construction knowledge and ability to manage construction, including implementation of Erosion and Sediment Control Measures, within and adjacent to waters of the State of Washington, and be consistent with the type of construction provided for in this solicitation.

#### 4.2.4. Resume Format:

Resumes are to be no more than two pages in length, and should include the following:

Name and Title

- 1. Proposed Duties/functions for this project
- 2. Firm affiliation and years affiliated
- 3. Years of experience performing duties/functions as proposed for this project.
- 4. Education school attended, degree, certification, year, and specialization
- 5. List of active registrations (professional or technical licenses/certifications)
- 6. Specific qualifications for this project
- 7. Projects worked on, including:

Project title and location,

Scope, size and complexity,

Duties/functions,

Date of project

- 8. Description of how each project submitted is relevant to the project to be constructed under this solicitation.
- **4.3. Past Performance of the Prime**: Past performance information should be provided for projects identified under Tab 1, "Relevant Experience of the firms proposed for the team with similar projects". Past performance of the prime contractor will be evaluated using the CCASS database. All performance ratings for the past 7 years shall be considered. If an Offeror does not have past performance available in CCASS or wishes to augment the CCASS system ratings, the Offerors may ask customers to submit the Customer Satisfaction Survey found at the end of this section. For each project constructed for Private Industry, provide a completed Customer Satisfaction Survey for each applicable project constructed within the last seven (7) years. All Customer Satisfaction Surveys must be submitted to the Government from the customer or agency that is providing the information. Further instructions are found at the top of the Customer Satisfaction Survey. Only relevant projects should be included. A relevant project is one of the same scope, cost and complexity as this solicitation. Offerors wanting to review the CCASS ratings contained in the Corps of Engineers CCASS Database may request the information by fax on company letterhead at the following telephone-fax number: (503) 808-4596. The Government reserves the right to contact the evaluator on previous Government or Private Sector work to verify the Offeror's construction experience. In the case of an Offeror without a record of past performance or for whom information on past performance is not available, the offeror may not be evaluated as favorable or unfavorable on past performance (see FAR 15.305(a)(2)(iv). An overall rating of satisfactory or above on CCASS performance evaluations and an overall acceptable rating on Customer Satisfaction Surveys will be given an acceptable rating.

- **4.3.1. Offeror submitted surveys**. Surveys submitted directly by the Offeror will not be considered. Please ensure envelopes containing surveys being submitted to this office do not contain the Offeror's return address.
- **4.3.2. Customer Satisfaction Surveys.** At a minimum, no fewer than three (3) customer satisfaction surveys will be considered for the prime firm (i.e., the firm signing the Standard Form 1442, Solicitation, Offer and Award) for work not listed (i.e., civilian projects) in the Government CCASS system.

## **4.4.** Extent of Small Business Participation

Submittal Requirements: No submittal required for this criterion. The Government will utilize performance evaluations contained in the Construction Contract Administration Support System (CCASS) to evaluate this criterion.

Evaluation: Firms will be evaluated for their past performance in subcontracting with Small and Small Disadvantaged Businesses. Firms will be evaluated based on the ratings received for item 16i, "Implementation of Subcontracting Plan" for performance evaluations retrieved from the CCASS system. Firms without any evaluations in the CCASS system, or for which this item is not evaluated (N/A) will receive an Acceptable (neutral) rating. Firms that are rated Satisfactory or higher for this item in CCASS report(s) will receive a rating of Acceptable. Firms that receive a rating below Satisfactory for this item in one or more CCASS reports will receive a rating of Non-acceptable for this criterion.

### 5. PROPOSAL CONTENTS/FORMAT.

- **5.1. Technical Proposal Format**. As a minimum, each copy of the technical proposal should contain the information and follow the general format specified below. Pages should be numbered from beginning to end, without repeating for new sections.
- **5.2. Technical Proposal Format-** Five (5) sets required, **original plus four (4) copies**

# TECHNICAL PROPOSAL FORMAT

- 1. Technical Proposal Cover Letter, to include:
  - a. Solicitation Number
  - b. Name, address, and telephone and facsimile numbers of the Offeror (and electronic address, if available)
  - c. A statement specifying the extent of agreement with all terms, conditions, and provisions included in the solicitation and agreement to furnish any or all items upon which prices are offered at the price set opposite each item and that the offer has an acceptance period of 120 calendar days from the date the proposal is submitted.
  - d. Name, titles, and telephone and facsimile numbers (and electronic addresses if available) of persons authorized to negotiate on the Offerors behalf with the Government in connection with this solicitation
  - e. Name, title, and signature of person authorized to sign the proposal. Proposals signed by an agent shall be accompanied by evidence of that

- agent's authority, unless that evidence has been previously furnished to the issuing office.
- f. Table of Contents. List all sections for the technical proposal. Any future amendments, additions and/or revisions to proposal shall include updated Table of Contents for each set.
- **5.3. Price Proposal Format.** The price proposal shall be submitted in an **ORIGINAL plus 1 copy** and must be signed by an official authorized to bind your firm. Note that Standard Form 1442, Block 13D, provides the number of calendar days after the date of the offer for which the proposal is firm. The price proposal, to be submitted at the same time as the technical proposal, should include:
- **5.4 Price Proposal -** Original and one (1) copy of each of the following:
  - SF 1442, Solicitation, Offer and Award, and Corporate Certificate Acknowledgement of all amendments by number and date in Block 19 on SF 1442 page 00010-2
  - Pricing Schedule
  - Section 00600, Representation, Certifications and Other Statements of Offerors
  - If proposal exceeds \$1,000,000, offeror shall include Subcontracting Plan

#### 5.5. Additional Instructions.

- **5.5.1.** Provide the name, point of contact, phone number, and address for the bank and bonding company of the firm signing the SF 1442.
- **5.5.2. Bid Bonds** Bid Bonds must be accompanied by a Power of Attorney containing an original signature from the surety, which must be affixed to the Power of Attorney after the Power of Attorney has been generated. Computer generated and signed Power's of Attorney will only be accepted if accompanied by an original certification from a current officer of the surety attesting to its authenticity and continuing validity.
- **6. PROPOSAL EVALUATIONS AND AWARD.** A firm fixed-price contract will be awarded to one firm submitting the proposal that:
  - **6.1. Conforms** to this request for proposals (RFP),
  - **6.2.** Is the technically acceptable, lowest price offer, and
  - 6.3. Is determined to be in the best interest of the Government.
  - **6.4.** To be considered for award, proposals shall conform to the terms and conditions contained in the RFP. No proposal shall be accepted that does not address all factors specified in this solicitation or which includes stipulations or qualifying conditions.

- **6.5. Price**. Price will be evaluated for reasonableness and to assess the offeror's understanding of the contract requirements and any risk inherent in the offeror's approach. Financial capacity and bonding ability will be checked.
- **6.6. Award.** It is the intent of the Government to make award based upon the lowest price technically acceptable initial offer, without further discussions or additional information. Therefore, proposals shall be submitted initially on the most favorable terms from a price and technical standpoint. Do not assume you will be afforded the opportunity to clarify, discuss or revise your proposal. If award is not made on initial offers, discussion will be conducted as described below.
- **6.7. Competitive Range**. (FAR 15.306(c)
  - **6.7.1. Competitive Range**. After initial evaluation of proposals, if the Contracting Officer determines that discussions are required, the Contracting Officer will establish a competitive range comprised of the technically acceptable proposals. Discussions will be held with firms in the competitive range.
  - **6.7.2. Discussions**. Should it be necessary for discussions, the Government will conduct written discussions with only those offerors determined to be technically acceptable. If all proposals are determined to be non-acceptable, at the Contracting Officer's discretion, all firms may be requested to participate in discussions. As a result of discussions, offerors may make revisions to their initial offers. Discussions will culminate in a request for Final Proposal Revision, the date and time of which will be common to all offerors.

#### 7. DEBRIEFINGS

- **7.1. Pre-award**. Offerors excluded from the competition before award will receive a notice and may request a debriefing before award by submitting a written request for a debriefing to the Contracting Officer within three (3) days after receipt of the notice of exclusion from the competition.
- **7.2. Post-award.** Unsuccessful Offerors shall request post-award debriefing within three (3) days after the date on which the offeror received notification of contract award. Point-by-point comparisons with other offerors proposals will not be made, and debriefings will not reveal any information that is not releasable under the Freedom of Information Act.
- **8. PROPOSAL EXPENSES AND PRECONTRACT COSTS PROPOSAL EXPENSES AND PRECONTRACT COSTS**: This RFP does not commit the Government to pay costs incurred in preparation and submission of the initial and any subsequent proposals or any other costs incurred prior to execution of a formal contract.

### SEE CUSTOMER SATISFACTION SURVEY FOLLOWING THIS PAGE

#### **END OF SECTION 00110**

### **CUSTOMER SATISFACTION SURVEY (PAGE 1 OF 2)**

W912DW-04-R-0011 - Snoqualmie River Project - Bridge and Trestle Demolition, Snoqualmie Falls, WA

W712B W 01 R 0011 Bhoquainne River 110Jeet Bridge and 11esae Benfordon, bhoquainne 1 ans, W11						
Name of Firm Being	Evaluated:		ROVIDED TO THE CUSTO	_		
Project Dollar Value	:					
Year Completed:	I	Project Manager:				
	BE COMPLETED BY	Y THE CUSTOMER REI FAXED	FERENCE AND MAILED, H	IAND-DELIVERED OR		
Attn: C. P.O. Bo	my Corps of Enginee ENWS-CT-CB-CU E ox 3755 WA 98124-3755		FAX: (206) 764-6817 Street Address: 4735 E. Marginal Way Seattle WA 98134-238			
Forms submitted by	other than the custon	mer (i.e., by the offeror), w	vill not be considered.			
project and providinformation on the later than the time	OVERVIEW: The firm shown above has submitted a proposal on a Seattle District Corps of Engineers project and provided your name as a customer reference. Part of our evaluation process requires information on the firm's past performance. Your input is important to us and responses are required no later than the time and date proposals are due for inclusion in our evaluation.  Name of Individual completing survey:					
Firm Name:		Phone Number	er:			
Relationship to this Project:  The Following Chart depicts the rating that are to be used to evaluate the contractor's performance:						
E	VG	S	M	U		
Exceptional	Very Good	Satisfactory	Marginal	Unsatisfactory		
Performance met all contract requirements and exceeded expectations.  Problems, if any, were negligible, and were resolved in a timely and highly effective manner.	Performance met all contract requirements and exceeded some. There were a few minor problems which the contractor resolved in a timely, effective manner.	Performance met contract requirements there were some minor problems, and corrective actions taken by the contractor were satisfactory.	Performance did not meet some contractual requirements. There were problems, some of a serious nature, for which corrective action was only marginally effective.	Performance did not meet contractual requirements.  There were serious problems, and the contractor's corrective actions were ineffective.		

### **CUSTOMER SATISFACTION SURVEY (PAGE 2 OF 2)**

W912DW-04-R-0011 - Snoqualmie River Project - Bridge and Trestle Demolition, Snoqualmie Falls, WA

In the following blocks, please indicate your overall level of satisfaction with the work performed by the firm shown in Section 1.

Reference the chart outlined on page 1 of this survey.

For any marginal or unsatisfactory rating, please provide explanatory narratives in the remarks block. These narratives need not be lengthy, just detailed. If a question is not applicable, circle N/A. If more space is needed, then go to the end of the questionnaire or attach additional pages. Be sure to identify your continued narration with the respect line

number, your name and project name.

	Quality of Work	Circle the appropriate rating using the chart on page 1		
A	Quality of Workmanship	E V S M U N/A		
B.	Adequacy of the Quality Control	E V S M U N/A		
C.	Adequacy of Materials	E V S M U N/A		
D.	Adequacy of Submittals	E V S M U N/A		
E.	Adequacy of As -Builds	E V S M U N/A		
F.	Use of specified materials	E V S M U N/A		
G.	Identification/correction of deficient work in a timely manner.	E V S M U N/A		
H.	Suggested solutions and initiative to implement solutions.	E V S M U N/A		

REMARKS: (Discuss strengths and weaknesses of the firm)			

Your assistance in providing this past performance information is appreciated.



WAIS Document Retrieval

GENERAL DECISION: WA20030001 02/06/2004 WA1

Date: February 6, 2004

General Decision Number: WA20030001 02/06/2004

Superseded General Decision Number: WA020001

State: Washington

Construction Types: Heavy (Heavy, and Dredging) and Highway

Counties: Washington Statewide.

HEAVY AND HIGHWAY AND DREDGING CONSTRUCTION PROJECTS (Excludes

D.O.E. Hanford Site in Benton and Franklin Counties)

Modification Number Publication Date

0 06/13/2003 1 01/23/2004 2 02/06/2004

CARP0001-008 06/01/2002

	Rates	Fringes
Carpenters: COLUMBIA RIVER AREA - ADAMS, BENTON, COLUMBIA, DOUGLAS (EAST OF THE 120TH MERIDIAN), FERRY, FRANKLIN, GRANT, OKANOGAN (EAST OF THE 120TH MERIDIAN) AND WALLA WALLA COUNTIES GROUP 1:	24.69 23.85 23.58 58.43	6.25 6.25 6.25 6.25 6.25
COUNTIES		
GROUP 1:	24.01 23.17 22.91 56.77	6.25 6.25 6.25 6.25 6.25 6.25

### CARPENTERS CLASSIFICATIONS

GROUP 1: Carpenter; Burner-Welder; Rigger and Signaler; Insulators (all types), Acoustical, Drywall and Metal Studs,

Metal Panels and Partitions; Floor Layer, Sander, Finisher and Astro Turf; Layout Carpenters; Form Builder; Rough Framer; Outside or Inside Finisher, including doors, windows, and jams; Sawfiler; Shingler (wood, composition) Solar, Fiberglass, Aluminum or Metal; Scaffold Erecting and Dismantling; Stationary Saw-Off Bearer; Wire, Wood and Metal Lather Applicator

GROUP 2: Millwright, machine erector

GROUP 3: Piledriver - includes driving, pulling, cutting, placing collars, setting, welding, or creosote treated material, on all piling

GROUP 4: Bridge, dock and wharf carpenters

GROUP 5: Divers

GROUP 6: Divers Tender

DEPTH PAYY FOR DIVERS:

Each foot over 50-100 feet \$1.00 Each foot over 100-175 feet 2.25 Each foot over 175-250 feet 5.50

#### **HAZMAT PROJECTS:**

Anyone working on a HAZMAT job (task), where HAZMAT certification is required, shall be compensated at a premium, in addition to the classification working in as follows:

LEVEL D + \$.25 per hour - This is the lowest level of protection. No respirator is used and skin protection is minimal.

LEVEL C + \$.50 per hour - This level uses an air purifying respirator or additional protective clothing.

LEVEL B + \$.75 per hour - Uses same respirator protection as Level A. Supplied air line is provided in conjunction with a chemical "splash suit".

LEVEL A +\$1.00 per hour - This level utilizes a fully encapsulated suit with a self-contained breathing apparatus or a supplied air line.

CARP0003-006 06/01/2002

SOUTHWEST WASHINGTON: CLARK, COWLITZ, KLICKITAT, LEWIS(Piledriver only), PACIFIC (South of a straight line made by extending the north boundary line of Wahkiakum County west to Willapa Bay to the Pacific Ocean), SKAMANIA AND WAHKIAKUM COUNTIES and INCLUDES THE ENTIRE PENINSULA WEST OF WILLAPA BAY

SEE ZONE DESCRIPTION FOR CITIES BASE POINTS

ZONE 1:

	Rates	Fringes
Carpenters: CARPENTERS; ACOUSTICAL\$ DIVERS TENDERS\$ DIVERS\$ DIVERS\$ PLOOR LAYERS & FLOOR FINISHERS (the laying of all hardwood floors nailed and mastic set, parquet and wood-type tiles, and block floors, the sanding and finishing of floors, the preparation of old and new floors when the materials mentioned above are to be installed); INSULATORS (fiberglass and similar irritating materils\$ MILLWRIGHTS\$	29.91 65.05 27.37	8.80 8.80 8.80 8.80
PILEDRIVERS\$  DEPTH PAY: 50 TO 100 FEET \$1.00 PER FOOT 100 TO 150 FEET 1.50 PER FOOT 150 TO 200 FEET 2.00 PER FOOT	OVER 50 FEET OVER 100 FEET	8.80
Zone Differential (Add up Zone Zone 2 - \$0.85 Zone 3 - 1.25 Zone 4 - 1.70 Zone 5 - 2.00 Zone 6 - 3.00	1 rates):	
BASEPOINTS: ASTORIA, LONGVIEW, VANCOUVER, (NOTE: All dispatch Counties: Cowlitz, Wahkiakum and Longview Local #1707 and mileagroint.)	hes for Washingto d Pacific shall I	on State oe from
ZONE 1: Projects located within city hall of the above mentioned ZONE 2: Projects located more miles of the respective city of ZONE 3: Projects located more miles of the respective city of ZONE 4: Projects located more miles of the respective city of ZONE 5: Projects located more miles of the respective city of ZONE 6: Projects located more city of the above mentioned cit	d cities than 30 miles and the above mention than 40 miles and the above mention than 50 miles and the above mention than 60 miles and the above mention the above mention	d less than 40 oned cities d less than 50 oned cities d less than 60 oned cities. d less than 70 oned cities the respected

CARP0770-003 06/01/2003

	Rates	Fringes
Carpenters: CENTRAL WASHINGTON: CHELAN, DOUGLAS (WEST		
OF THE 120TH MERIDIAN), KITTITAS, OKANOGAN (WEST OF THE 120TH MERIDIAN) AND YAKIMA		
COUNTIES ACCOUSTICAL WORKERS\$	20 00	7.82
CARPENTERS AND		7.02
DRYWALL APPLICATORS\$ CARPENTERS ON	20.72	7.82
CREOSOTE MATERIAL\$		7.82
DIVERS TENDER\$		8.05
DIVERS\$		8.05
INSULATION APPLICATORS\$ MILLWRIGHT AND		7.82
MACHINE ERECTORS\$	28.95	7.82
PILEDRIVER, BRIDGE		
DOCK AND WHARF CARPENTERS\$	27 95	7.82
PILEDRIVER, DRIVING,	27.33	7.02
PULLING, CUTTING,		
PLACING COLLARS,		
SETTING, WELDING OR		
CRESOTE TREATED		
MATERIAL, ALL PILING\$	28.15	7.82
SAWFILERS, STATIONARY		
POWER SAW OPERATORS, FLOOR FINISHER, FLOOR		
LAYER, SHINGLER,		
FLOOR SANDER OPERATOR		
AND OPERATORS OF		
OTHER STATIONARY WOOD		
WORKING TOOLS\$	20.85	7.82
WESTERN WASHINGTON:		
CLALLAM, GRAYS HARBOR,		
ISLAND, JEFFERSON, KING, KITSAP, LEWIS		
(excludes piledrivers		
only), MASON, PACIFIC		
(North of a straight		
line made by extending		
the north boundary line		
of Wahkiakum County		
west to the Pacific		
Ocean), PIERCE, SAN		
JUAN, SKAGIT, SNOHOMISH, THURSTON AND		
WHATCOM COUNTIES		
ACOUSTICAL WORKERS\$	28.56	9.50
CARPENTERS AND		
DRYWALL APPLICATORS\$	28.40	9.50
CARPENTERS ON		

CREOSOTE MATERIAL\$	28.50	9.50
DIVERS TENDER\$	31.17	9.50
DIVERS\$	70.07	9.50
INSULATION APPLICATORS\$		9.50
MILLWRIGHT AND		
MACHINE ERECTORS\$	29.40	9.50
PILEDRIVER, BRIDGE,		
DOCK & WHARF		
CARPENTERS\$	28.40	9.50
PILEDRIVER, DRIVING,		
PULLING, CUTTING,		
PLACING COLLARS,		
SETTING, WELDING OR		
CRESOTE TREATED		
MATERIAL, ALL PILING\$	28.60	9.50
SAWFILERS, STATIONARY		
POWER SAW OPERATORS,		
FLOOR FINISHER, FLOOR		
LAYER, SHINGLER,		
FLOOR SANDER OPERATOR		
AND OPERATORS OF		
OTHER STATIONARY WOOD		
WORKING TOOLS\$	28.53	9.50

(HOURLY ZONE PAY: WESTERN AND CENTRAL WASHINGTON - ALL CLASSIFICATIONS EXCEPT MILLWRIGHTS AND PILEDRIVERS

Hourly Zone Pay shall be paid on jobs located outside of the free zone computed from the city center of the following listed cities:

Seattle Olympia Bellingham Auburn Bremerton Anacortes Renton Shelton Yakima Aberdeen-Hoquiam Tacoma Wenatchee Ellensburg Everett Port Angeles Centralia Mount Vernon Sunnyside

Chelan Pt. Townsend

#### Zone Pay:

0 -25 radius miles Free
25-35 radius miles \$1.00/hour
35-45 radius miles \$1.15/hour
45-55 radius miles \$1.35/hour
Over 55 radius miles \$1.55/hour

(HOURLY ZONE PAY: WESTERN AND CENTRAL WASHINGTON - MILLWRIGHT AND PILEDRIVER ONLY)

Hourly Zone Pay shall be computed from Seattle Union Hall, Tacoma City center, and Everett City center

#### Zone Pay:

0 -25 radius miles Free 25-45 radius miles \$ .70/hour Over 45 radius miles \$1.50/hour

# ELEC0046-001 12/29/2003

# CALLAM, JEFFERSON, KING AND KITSAP COUNTIES

	Rates	Fringes
		-
Cable splicer\$	39.33	3%+10.01
Electrician\$	35.75	3%+10.01
ELEC0048-003 01/01/2004		
CLARK, KLICKITAT AND SKAMANIA COUN	TIES	
	Rates	Fringes
Cable splicer\$	31.40	3%+12.35
Electrician\$	31.15	3%+12.35
ELEC0073-001 07/01/2003		
ADAMS, FERRY, LINCOLN, PEND OREILL COUNTIES	E, SPOKANE,	STEVENS, WHITMAN
	Rates	Fringes
Cable splicer\$	24.37	3%+11.03
Electrician\$	23.97	3%+11.03
* ELEC0076-002 07/01/2002		
GRAYS HARBOR, LEWIS, MASON, PACIFIC	C, PIERCE,	AND THURSTON
	Rates	Fringes
Cable splicer\$	32.76	3%+11.01
Electrician\$	29.78	3%+11.01
ELEC0077-002 02/01/2003		
	Rates	Fringes
Line Construction:  CABLE SPLICERS\$  GROUNDMEN\$  LINE EQUIPMENT MEN\$  LINEMEN, POLE SPRAYERS,  HEAVY LINE EQUIPMENT MAN\$  POWDERMEN, JACKHAMMERMEN\$	23.72 29.14 33.88	3.875%+7.45 3.875%+5.70 3.875%+5.70 3.875%+7.45 3.875%+5.70
· Onderther, Shellininellielie		3.37370 3.70

TREE TRIMMER\$			
ELEC0112-005 06/01/2002			
ASOTIN, BENTON, COLUMBIA, FRANKLIN WALLA, YAKIMA COUNTIES	, GARFIELD, KIT	TITAS, WALLA	
	Rates	Fringes	
Cable splicer\$	30.19	3%+9.63	
Electrician\$		3%+9.63	
ELEC0191-003 08/31/2002			
ISLAND, SAN JUAN, SNOHOMISH, SKAGI	T AND WHATCOM C	OUNTIES	
	Rates	Fringes	
Cable splicer\$	33.72	3%+9.33	
Electrician\$	30.66	3%+9.33	
ELEC0191-004 12/01/2002			
CHELAN, DOUGLAS, GRANT AND OKANOGAI	N COUNTIES		
	Rates	Fringes	
Cable splicer\$	29.33	3%+9.28	
Electrician\$	26.66	3%+9.28	
ELEC0970-001 01/01/2003			
COWLITZ AND WAHKIAKUM COUNTIES			
	Rates	Fringes	
Cable splicer\$	31.41	3%+9.25	
Electrician\$		3%+9.25	
ENGI0302-003 06/01/2003			
CHELAN (WEST OF THE 120TH MERIDIAN), CLALLAM, DOUGLAS (WEST OF THE 120TH MERIDIAN), GRAYS HARBOR, ISLAND, JEFFERSON, KING, KITSAP, KITTITAS, MASON, OKANOGAN (WEST OF THE 120TH MERIDIAN), SAN JUNA, SKAGIT, SNOHOMISH, WHATCOM AND YAKIMA (WEST OF THE 120TH MERIDIAN) COUNTIES			

PROJECTS: CATEGORY A PROJECTS (EXCLUDES CATEGORY B PROJECTS, AS

### SHOWN BELOW)

#### Zone 1 (0-25 radius miles):

	Rates	Fringes
Power equipment operators:		
Group 1A\$	30.30	9.40
Group 1AA\$		9.40
Group 1AAA\$		9.40
Group 1\$		9.40
Group 2\$		9.40
Group 3\$		9.40
Group 4\$		9.40
one Differential (Add to Zone 1	rates):	

7 n

Zone 2 (26-45 radius miles) - \$ .70

Zone 3 (Over 45 radius miles) - \$1.00

BASEPOINTS: Aberdeen, Bellingham, Bremerton, Everett, Kent, Mount Vernon, Port Angeles, Port Townsend, Seattle, Shelton, Wenatchee, Yakima

POWER EQUIPMENT OPERATORS CLASSIFICATIONS

GROUP 1AAA - Cranes-over 300 tons, or 300 ft of boom (including jib with attachments)

GROUP 1AA - Cranes 200 to 300 tons, or 250 ft of boom (including jib with attachments); Tower crane over 175 ft in height, base to boom

GROUP 1A - Cranes, 100 tons thru 199 tons, or 150 ft of boom (including jib with attachments); Crane-overhead, bridge type, 100 tons and over; Tower crane up to 175 ft in height base to boom; Loaders-overhead, 8 yards and over; Shovels, excavator, backhoes-6 yards and over with attachments

GROUP 1 - Cableway; Cranes 45 tons thru 99 tons, under 150 ft of boom (including jib with attachments); Crane-overhead, bridge type, 45 tons thru 99 tons; Derricks on building work; Excavator, shovel, backhoes over 3 yards and under 6 yards; Hard tail end dump articulating off-road equipment 45 yards and over; Loader- overhead 6 yards to, but not including 8 yards; Mucking machine, mole, tunnel, drill and/or shield; Quad 9, HD 41, D-10; Remote control operator on rubber tired earth moving equipment; Rollagon; Scrapers-self propelled 45 yards and over; Slipform pavers; Transporters, all truck or track type

GROUP 2 - Barrier machine (zipper); Batch Plant Operaor-Concrete; Bump Cutter; Cranes, 20 tons thru 44 tons with attachments; Crane-overhead, bridge type-20 tons through 44 tons; Chipper; Concrete Pump-truck mount with boom attachment; Crusher; Deck Engineer/Deck Winches (power); Drilling machine; Excavator, shovel, backhoe-3 yards and under; Finishing Machine, Bidwell, Gamaco and similar

equipment; Guardrail punch; Horizontal/directional drill operator; Loaders-overhead under 6 yards; Loaders-plant feed; Locomotives-all; Mechanics-all; Mixers-asphalt plant; Motor patrol graders-finishing; Piledriver (other than crane mount); Roto-mill,roto-grinder; Screedman, spreader, topside operator-Blaw Knox, Cedar Rapids, Jaeger, Caterpillar, Barbar Green; Scraper-self propelled, hard tail end dump, articulating off-road equipment-under 45 yards; Subgrade trimmer; Tractors, backhoes-over 75 hp; Transfer material service machine-shuttle buggy, blaw knox-roadtec; Truck crane oiler/driver-100 tons and over; Truck Mount portable conveyor; Yo Yo Pay dozer

GROUP 3 - Conveyors; Cranes-thru 19 tons with attachments; A-frame crane over 10 tons; Drill oilers-auger type, truck or crane mount; Dozers-D-9 and under; Forklift-3000 lbs. and over with attachments; Horizontal/directional drill locator; Outside hoists-(elevators and manlifts), air tuggers, strato tower bucket elevators; Hydralifts/boom trucks over 10 tons; Loader-elevating type, belt; Motor patrol grader-nonfinishing; Plant oiler- asphalt, crusher; Pumps-concrete; Roller, plant mix or multi-lift materials; Saws-concrete; Scrpers-concrete and carry-all; Service engineer-equipment; Trenching machines; Truck Crane Oiler/Driver under 100 tons; Tractors, backhoe 75 hp and under

GROUP 4 - Assistant Engineer; Bobcat; Brooms; Compressor; Concrete finish mahine-laser screed; Cranes-A frame-10 tons and under; Elevator and Manlift-permanent or shaft type; Gradechecker, Stakehop; Forklifts under 3000 lbs. with attachments; Hydralifts/boom trucks, 10 tons and under; Oil distributors, blower distribution and mulch seeding operator; Pavement breaker; Posthole digger, mechanical; Power plant; Pumps, water; Rigger and Bellman; Roller-other than plant mix; Wheel Tractors, farmall type; Shotcrete/gunite equipment operator

CATEGORY B PROJECTS: 95% OF THE BASIC HOURLY RATE FOR EACH GROUP PLUS FULL FRINGE BENEFITS APPLICABLE TO CATEGORY A PROJECTS SHALL APPLY TO THE FOLLOWING PROJECTS. REDUCED RATES MAY BE PAID ON THE FOLLOWING:

- 1. Projects involving work on structures such as buildings and bridges whose total value is less than \$1.5 million excluding mechanical, electrical, and utility portions of the contract.
- 2. Projects of less than \$1 million where no building is involved. Surfacing and paving including, but utilities excluded.
- 3. Marine projects (docks, wharfs, ect.) less than \$150,000.

HANDLING OF HAZARDOUS WASTE MATERIALS: Personnel in all craft classifications subject to working inside a federally designed hazardous perimeter shall be elgible for compensation in accordance with the following group schedule relative to the level of hazardous waste as outlined in the specific hazardous waste project site safety plan.

H-1 Base wage rate when on a hazardous waste site when not outfitted with protective clothing.

H-2 Class "C" Suit - Base wage rate plus \$.25 per hour.

H-3 Class "B" Suit - Base wage rate plus \$.50 per hour.

H-4 Class "A" Suit - Base wage rate plus \$.75 per hour.

-----

#### ENGI0302-009 06/01/2002

CHELAN (WEST OF THE 120TH MERIDIAN), CLALLAM, DOUGLAS (WEST OF THE 120TH MERIDIAN), GRAYS HARBOR, ISLAND, JEFFERSON, KING, KITSAP, KITTITAS, MASON, OKANOGAN (WEST OF THE 120TH MERIDIAN), SAN JUNA, SKAGIT, SNOHOMISH, WHATCOM AND YAKIMA (WEST OF THE 120TH MERIDIAN) COUNTIES

ON PROJECTS DESCRIBED IN FOOTNOTE A BELOW, THE RATE FOR EACH GROUP SHALL BE 95% OF THE BASE RATE PLUS FULL FRINGE BENEFITS. ON ALL OTHER WORK, THE FOLLOWING RATES APPLY.

### WORK PERFORMED ON HYDRAULIC DREDDGES:

Zone 1 (0-25 radius miles):

	Rates	Fringes
Power equipment operators: GROUP 1		
TOTAL PROJECT COST		
\$300,000 AND OVER\$	28.38	8.40
TOTAL PROJECT COST		
UNDER \$300,000\$	26.96	8.40
GROUP 2		
TOTAL PROJECT COST		
\$300,000 AND OVER\$	28.48	8.40
TOTAL PROJECT COST		
UNDER \$300,000\$	27.06	8.40
GROUP 3		
TOTAL PROJECT COST		
\$300,000 AND OVER\$	28.82	8.40
TOTAL PROJECT COST		
UNDER \$300,000\$	27.38	8.40
GROUP 4		
TOTAL PROJECT COST		
\$300,000 AND OVER\$	28.87	8.40
TOTAL PROJECT COST		
UNDER \$300,000\$	27.43	8.40
GROUP 5		
TOATL PROJECT COST	20.26	0 10
\$300,000 AND OVER\$	30.26	8.40
TOTAL PROJECT COST	20.75	0 40
UNDER \$300,000\$	28.75	8.40
GROUP 6		
TOTAL PROJECT COST	20 20	0 40
\$300,000 AND OVER\$ TOTAL PROJECT COST	20.30	8.40
UNDER \$300,000\$	26 96	8.40
טאטבא ששט,טטט	20.30	0.40

Zone Differential (Add to Zone 1 rates):
 Zone 2 (26-45 radius miles) - \$ .70
 Zone 3 (Over 45 radius miles) - \$1.00

BASEPOINTS: Aberdeen, Bellingham, Bremerton, Everett, Kent, Mount Vernon, Port Angeles, Port Townsend, Seattle, Shelton, Wenatchee, Yakima

POWER EQUIPMENT OPERATORS CLASSIFICATIONS

GROUP 1 - ASSISTANT MATE (DECKHAND)

GROUP 2 - OILER

GROUP 3 - ASSISTANT ENGINEER (ELECTRIC, DIESEL, STEAM OR BOOSTER PUMP); MATES AND BOATMEN

GROUP 4 - CRANEMAN, ENGINEER WELDER

GROUP 5 - LEVERMAN, HYDRAULIC

GROUP 6 - MAINTENANCE

CATEGORY B PROJECTS: 95% OF THE BASIC HOURLY RATE FOR EACH GROUP PLUS FULL FRINGE BENEFITS APPLICABLE TO CATEGORY A PROJECTS SHALL APPLY TO THE FOLLOWING PROJECTS. REDUCED RATES MAY BE PAID ON THE FOLLOWING:

- 1. Projects involving work on structures such as buildings and bridges whose total value is less than \$1.5 million excluding mechanical, electrical, and utility portions of the contract.
- Projects of less than \$1 million where no building is involved. Surfacing and paving including, but utilities excluded.
- 3. Marine projects (docks, wharfs, ect.) less than \$150,000.

HEAVY WAGE RATES (CATEGORY A) APPLIES TO CLAM SHELL DREDGE, HOE AND DIPPER, SHOVELS AND SHOVEL ATTACHMENTS, CRANES AND BULLDOZERS.

HANDLING OF HAZARDOUS WASTE MATERIALS: Personnel in all craft classifications subject to working inside a federally designed hazardous perimeter shall be elgible for compensation in accordance with the following group schedule relative to the level of hazardous waste as outlined in the specific hazardous waste project site safety plan.

H-1 Base wage rate when on a hazardous waste site when not outfitted with protective clothing.

H-2 Class "C" Suit - Base wage rate plus \$.25 per hour.

H-3 Class "B" Suit - Base wage rate plus \$.50 per hour.

H-4 Class "A" Suit - Base wage rate plus \$.75 per hour.

ENGI0370-002 08/01/2003

ADAMS, ASOTIN, BENTON, CHELAN (EAST OF THE 120TH MERIDIAN), COLUMBIA, DOUGLAS (EAST OF THE 120TH MERIDIAN), FERRY, FRANKLIN, GARFIELD, GRANT, LINCOLN, OKANOGAN (EAST OF THE 120TH MERIDIAN), PEND OREILLE, SPOKANE, STEVENS, WALLA WALLA, WHITMAN AND YAKIMA (EAST OF THE 120TH MERIDIAN) COUNTIES

AND TAKETHA (EAST OF THE 120TH HEREE

W912DW-04-R-0011

#### ZONE 1:

	Rates	Fringes
Power equipment operators:		
GROUP 1A\$	20.94	7.37
GROUP 1\$	21.49	7.37
GROUP 2\$	21.81	7.37
GROUP 3\$	22.42	7.37
GROUP 4\$	22.58	7.37
GROUP 5\$	22.74	7.37
GROUP 6\$	23.02	7.37
GROUP 7\$	23.29	7.37
GROUP 8\$	24.39	7.37

ZONE DIFFERENTIAL (Add to Zone 1 rate): Zone 2 - \$2.00

Zone 1: Within 45 mile radius of Spokane, Moses Lake, Pasco, Washington; Lewiston, Idaho

Zone 2: Outside 45 mile radius of Spokane, Moses Lake, Pasco, Washington; Lewiston, Idaho

POWER EQUIPMENT OPERATORS CLASSIFICATIONS

GROUP 1A: Boat Operator; Crush Feeder; Oiler; Steam Cleaner

GROUP 1: Bit Grinders; Bolt Threading Machine; Compressors (under 2000 CFM, gas, diesel, or electric power); Deck Hand; Drillers Helper (Assist driller in making drill rod connections, service drill engine and air compressor, repair drill rig and drill tools, drive drill support truck to and on the job site, remove drill cuttings from around bore hole and inspect drill rig while in operation); Fireman & Heater Tender; Grade Checker; Hydro-seeder, Mulcher, Nozzleman; Oiler Driver, & Cable Tender, Mucking Machine; Pumpman; Rollers, all types on subgrade, including seal and chip coatings (farm type, Case, John Deere & similar, or Compacting Vibrator), except when pulled by Dozer with operable blade; Welding Machine

GROUP 2: A-frame Truck (single drum); Assistant Refrigeration Plant (under 1000 ton); Assistant Plant Operator, Fireman or Pugmixer (asphalt); Bagley or Stationary Scraper; Belt Finishing Machine; Blower Operator (cement); Cement Hog; Compressor (2000 CFM or over, 2 or more, gas diesel or electric power); Concrete Saw (multiple cut); Distributor Leverman; Ditch Witch or similar; Elevator Hoisting Materials; Dope Pots (power agitated); Fork Lift or Lumber Stacker, hydra-lift & similar; Gin Trucks (pipeline); Hoist, single drum; Loaders (bucket elevators and conveyors); Longitudinal Float; Mixer (portable-concrete); Pavement Breaker, Hydra-Hammer & similar; Power Broom; Railroad Ballast Regulation Operator (self-propelled); Railroad Tamper Jack

Operator (self-propelled; Spray Curing Machine (concrete); Spreader Box (self-propelled); Straddle Buggy (Ross & similar on construction job only); Tractor (Farm type R/T with attachment, except Backhoe); Tugger Operator

GROUP 3: A-frame Truck (2 or more drums); Assistant Refrigeration Plant & Chiller Operator (over 1000 ton); Backfillers (Cleveland & similar); Batch Plant & Wet Mix Operator, single unit (concrete); Belt-Crete Conveyors with power pack or similar; Belt Loader (Kocal or similar); Bending Machine; Bob Cat; Boring Machine (earth); Boring Machine (rock under 8 inch bit) (Quarry Master, Joy or similar); Bump Cutter (Wayne, Saginau or similar); Canal Lining Machine (concrete); Chipper (without crane); Cleaning & Doping Machine (pipeline); Deck Engineer; Elevating Belt-type Loader (Euclid, Barber Green & similar); Elevating Grader-type Loader (Dumor, Adams or similar); Generator Plant Engineers (diesel or electric); Gunnite Combination Mixer & Compressor; Locomotive Engineer; Mixermobile; Mucking Machine; Posthole Auger or Punch; Pump (grout or jet); Soil Stabilizer (P & H or similar); Spreader Machine; Tractor (to D-6 or equivalent) and Traxcavator; Traverse Finish Machine; Turnhead Operator

GROUP 4: Concrete Pumps (squeeze-crete, flow-crete, pump-crete, Whitman & similar); Curb Extruder (asphalt or concrete); Drills (churn, core, calyx or diamond)(operate drilling machine, drive or transport drill rig to and on job site and weld well casing); Equipment Serviceman; Greaser & Oiler; Hoist (2 or more drums or Tower Hoist); Loaders (overhead & front-end, under 4 yds. R/T); Refrigeration Plant Engineer (under 1000 ton); Rubber-tired Skidders (R/T with or without attachments); Surface Heater & Plant Machine; Trenching Machines (under 7 ft. depth capacity); Turnhead (with re-screening); Vacuum Drill (reverse circulation drill under 8 inch bit)

GROUP 5: Backhoe (under 45,000 gw); Backhoe & Hoe Ram (under 3/4 yd.); Carrydeck & Boom Truck (under 25 tons); Cranes (25 tons & under), all attachments including clamshell, dragline; Derricks & Stifflegs (under 65 tons); Drilling Equipment(8 inch bit & over) (Robbins, reverse circulation & similar)(operates drilling machine, drive or transport drill rig to and on job site and weld well casing); Hoe Ram; Piledriving Engineers; Paving (dual drum); Railroad Track Liner Operaotr (self-propelled); Refrigeration Plant Engineer (1000 tons & over); Signalman (Whirleys, Highline Hammerheads or similar)

GROUP 6: Asphalt Plant Operator; Automatic Subgrader (Ditches & Trimmers) (Autograde, ABC, R.A. Hansen & similar on grade wire); Backhoe (45,000 gw and over to 110,000 gw); Backhoes & Hoe Ram (3/4 yd. to 3 yd.); Batch Plant (over 4 units); Batch & Wet Mix Operator (multiple units, 2 & incl. 4); Blade Operator (motor patrol & attachments, Athey & Huber); Boom Cats (side); Cable Controller (dispatcher); Clamshell Operator (under 3 yds.); Compactor (self-propelled with

blade); Concrete Pump Boom Truck; Concrete Slip Form Paver; Cranes (over 25 tons, to and including 45 tons), all attachments including clamshell, dragline; Crusher, Grizzle & Screening Plant Operator; Dozer, 834 R/T & similar; Draglines (under 3 yds.); Drill Doctor; H.D. Mechanic; H.D. Welder; Loader Operator (front-end & overhead, 4 yds. incl. 8 yds.); Multiple Dozer Units with single blade; Paving Machine (asphalt and concrete); Quad-Track or similar equipment; Rollerman (finishing asphalt pavement); Roto Mill (pavement grinder); Scrapers, all, rubber-tired; Screed Operator; Shovel(under 3 yds.); Tractors (D-6 & equilvalent & over); Trenching Machines (7 ft. depth & over); Tug Boat Operator Vactor guzzler, super sucker

GROUP 7: Backhoe (over 110,000 gw); Backhoes & Hoe Ram (3 yds & over); Blade (finish & bluetop) Automatic, CMI, ABC, Finish Athey & Huber & similar when used as automatic; Cableway Operators; Concrete Cleaning/Decontamination machine operator; Cranes (over 45 tons to but not including 85 tons), all attachments including clamshell and dragine; Derricks & Stiffleys (65 tons & over); Elevating Belt (Holland type); Heavy equipment robotics operator; Loader (360 degrees revolving Koehring Scooper or similar); Loaders (overhead & front-end, over 8 yds. to 10 yds.); Rubber-tired Scrapers (multiple engine with three or more scrapers); Shovels (3 yds. & over); Whirleys & Hammerheads, ALL

GROUP 8: Cranes (85 tons and over, and all climbing, overhead, rail and tower), all attachments including clamshell, dragline; Loaders (overhead and front-end, 10 yards and over); Helicopter Pilot

BOOM PAY: (All Cranes, Including Tower)
180 ft to 250 ft \$ .30 over scale
Over 250 ft \$ .60 over scale

#### NOTE:

In computing the length of the boom on Tower Cranes, they shall be measured from the base of the Tower to the point of the boom.

#### **HAZMAT:**

Anyone working on HAZMAT jobs, working with supplied air shall receive \$1.00 an hour above classification.

-----

ENGI0370-006 06/01/2002

ADAMS, ASOTIN, BENTON, CHELAN (EAST OF THE 120TH MERIDIAN), COLUMBIA, DOUGLAS (EAST OF THE 120TH MERIDIAN), FERRY, FRANKLIN, GARFIELD, GRANT, LINCOLN, OKANOGAN (EAST OF THE 120TH MERIDIAN), PEND OREILLE, SPOKANE, STEVENS, WALLA WALLA, WHITMAN AND YAKIMA (EAST OF THE 120TH MERIDIAN) COUNTIES

WORK PERFORMED ON HYDRAULIC DREDGES

Rates Fringes

Hydraulic Dredge		
GROUP 1:\$	24.73	6.27
GROUP 2:\$	25.10	6.27
GROUP 3:\$	25.13	6.27
GROUP 4:\$	25.52	6.27
GROUP 5:\$	24.73	6.27

GROUP 1: Assistant Mate (Deckhand) and Oiler

GROUP 2: Assistant Engineer (Electric, Diesel, Steam, or

Booster Pump); Mates and Boatmen

GROUP 3: Engineer Welder GROUP 4: Leverman, Hydraulic

GROUP 5: Maintenance

HEAVY WAGE RATES APPLIES TO CLAM SHELL DREDGE, HOE AND DIPPER, SHOVELS AND SHOVEL ATTACHMENTS, CRANES AND BULLDOZERS.

ENGI0612-001 06/01/2002

LEWIS, PIERCE, PACIFIC (THAT PORTION WHICH LIES NORTH OF A PARALLEL LINE EXTENDED WEST FROM THE NORTHERN BOUNDARY OF WAHKAIKUM COUNTY TO THE SEA IN THE STATE OF WASHINGTON) AND THURSTON COUNTIES

### PROJECTS:

CATEGORY A PROJECTS (excludes Category B projects, as shown below)

	Rates	Fringes
Power equipment operators: WORK PERFORMED ON HYDRAULIC DREDGES:Total Project cost \$300,000		
and over GROUP 1\$	70 70	8.40
GROUP 2\$		8.40
GROUP 3\$		8.40
GROUP 4\$		8.40
GROUP 5\$		8.40
GROUP 6\$	28.38	8.40
WORK PERFORMED ON		
HYDRAULIC DREDGES:Total		
Project Cost under		
\$300,000	26.06	
GROUP 1\$		8.40
GROUP 2\$		8.40
GROUP 3\$		8.40
GROUP 4\$		8.40
GROUP 5\$		8.40
GROUP 6\$	20.90	8.40

ZONE 2 (26-45 radius miles) - Add \$.70 to Zone 1 rates ZONE 3 (Over 45 radius miles) - Add \$1.00 to Zone 1 rates

BASEPOINTS: Tacoma, Olympia, and Centralia

CATEGORY B PROJECTS - 95% of the basic hourly rate for each group plus full fringe benefits applicable to Category A projects shall apply to the following projects: Reduced rates may be paid on the following:

- 1. Projects involving work on structures such as buildings and structures whose total value is less than \$1.5 million excluding mechanical, electrical, and utility portions of the contract.
- 2. Projects of less than \$1 million where no building is involved. Surfacing and paving included, but utilities excluded.
- 3. Marine projects (docts, wharfs, etc.) less than \$150,000

#### WORK PERFORMED ON HYDRAULIC DREDGES:

GROUP 1: Assistant Mate (Deckhand

GROUP 2: Oiler

GROUP 3: Assistant Engineer (Electric, Diesel, Steam or

Booster Pump); Mates and Boatmen GROUP 4: Craneman, Engineer Welder

GROUP 5: Leverman, Hydraulic GROUP 6: Maintenance

HEAVY WAGE RATES APPLIES TO CLAM SHEEL DREDGE, HOE AND DIPPER, SHOVELS AND SHOVEL ATTACHMENTS, CRANES AND BULLDOZERS

#### HANDLING OF HAZARDOUS WASTE MATERIALS

 $\mbox{H-1}$  - When not outfitted with protective clothing of level D equipment - Base wage rate

H-2 - Class "C" Suit - Base wage rate + \$.25 per hour

H-3 - Class "B" Suit - Base wage rate + \$.50 per hour

H-4 - Class "A" Suit - Base wage rate +\$.75 per hour

ENGI0612-002 06/01/2002

LEWIS, PIERCE, PACIFIC (portion lying north of a parallel line extending west from the northern boundary of Wahkaikum County to the sea) AND THURSTON COUNTIES

ON PROJECTS DESCRIBED IN FOOTNOTE A BELOW, THE RATE FOR EACH GROUP SHALL BE 90% OF THE BASE RATE PLUS FULL FRINGE BENEFITS. ON ALL OTHER WORK, THE FOLLOWING RATES APPLY.

#### Zone 1 (0-25 radius miles):

	Rates	Fringes
Power equipment operators:		
GROUP 1A\$	30.14	8.40
GROUP 1AA\$	30.64	8.40
GROUP 1AAA\$	31.14	8.40
GROUP 1\$	29.64	8.40
GROUP 2\$	29.20	8.40
GROUP 3\$	28.84	8.40
GROUP 4\$	26.74	8.40

Zone Differential (Add to Zone 1 rates): Zone 2 (26-45 radius miles) = \$ .70 Zone 3 (Over 45 radius miles) - \$1.00

BASEPOINTS: CENTRALIA, OLYMPIA, TACOMA

POWER EQUIPMENT OPERATORS CLASSIFICATIONS

GROUP 1 AAA - Cranes-over 300 tons or 300 ft of boom (including jib with attachments)

GROUP 1AA - Cranes- 200 tonsto 300 tons, or 250 ft of boom (including jib with attachments; Tower crane over 175 ft in height, bas to boom

GROUP 1A - Cranes, 100 tons thru 199 tons, or 150 ft of boom (including jib with attachments); Crane-overhead, bridge type, 100 tons and over; Tower crane up to 175 ft in height base to boom; Loaders-overhead, 8 yards and over; Shovels, excavator, backhoes-6 yards and over with attachments

GROUP 1 - Cableway; Cranes 45 tons thru 99 tons under 150 ft of boom (including jib with attachments); Crane-overhead, bridge type, 45 tons thru 99 tons; Derricks on building work; Excavator, shovel, backhoes over 3 yards and under 6 yards; Hard tail end dump articulating off-road equipment 45 yards and over; Loader- overhead, 6 yards to, but not including, 8 yards; Mucking machine, mole, tunnel, drill and/or shield; Quad 9 HD 41, D-10; Remote control operator on rubber tired earth moving equipment; Rollagon; Scrapers-self-propelled 45 yards and over; Slipform pavers; Transporters, all track or truck type

GROUP 2 - Barrier machine (zipper); Batch Plant Operatorconcrete; Bump Cutter; Cranes, 20 tons thru 44 tons with attachments; Crane-Overhead, bridge type, 20 tons through 44 tons; Chipper; Concrete pump-truck mount with boom attachment; Crusher; Deck engineer/deck winches (power); Drilling machine; Excavator, shovel, backhoe-3 yards and under; Finishing machine, Bidwell, Gamaco and similar equipment; Guardrail punch; Loaders, overhead under 6 yards; Loaders-plant feed; Locomotives-all; Mechanics- all; Mixers, asphalt plant; Motor patrol graders, finishing; Piledriver (other than crane mount); Roto-mill, roto- grinder; Screedman, spreader, topside operator-Blaw Knox, Cedar Rapids, Jaeger, Caterpillar, Barbar Green; Scraper-selfpropelled, hard tail end dump, articulating off-road equipment- under 45 yards; Subgrader trimmer; Tractors, backhoe over 75 hp; Transfer material service machine-shuttle buggy, Blaw Knox- Roadtec; Truck Crane oiler/driver-100 tons and over; Truck Mount Portable Conveyor; Yo Yo pay

GROUP 3 - Conveyors; Cranes through 19 tons with attachments; Crane-A-frame over 10 tons; Drill oilers-auger type, truck or crane mount; Dozer-D-9 and under; Forklift-3000 lbs. and over with attachments; Horizontal/directional drill locator; Outside Hoists-(elevators and manlifts), air tuggers, strato

tower bucket elevators; Hydralifts/boom trucks over 10 tons; Loaders-elevating type, belt; Motor patrol grader-nonfinishing; Plant oiler- asphalt, crusher; Pump-Concrete; Roller, plant mix or multi-lfit materials; Saws-concrete; Scrapers, concrete and carry all; Service engineers-equipment; Trenching machines; Truck crane oiler/driver under 100 tons; Tractors, backhoe under 75 hp

GROUP 4 - Assistant Engineer; Bobcat; Brooms; Compressor; Concrete Finish Machine-laser screed; Cranes A-frame 10 tons and under; Elevator and manlift (permanent and shaft type); Forklifts-under 3000 lbs. with attachments; Gradechecker, stakehop; Hydralifts/boom trucks, 10 tons and under; Oil distributors, blower distribution and mulch seeding operator; Pavement breaker; Posthole digger-mechanical; Power plant; Pumps-water; Rigger and Bellman; Roller-other than plant mix; Wheel Tractors, farmall type; Shotcrete/gunite equipment operator

FOOTNOTE A- Reduced rates may be paid on the following:
1. Projects involving work on structures such as buildings and bridges whose total value is less than \$1.5 million excluding mechanical, electrical, and utility portions of the contract.

- 2. Projects of less than \$1 million where no building is involved. Surfacing and paving included, but utilities excluded.
- 3. Marine projects (docks, wharfs, etc.) less than \$150,000.

HANDLING OF HAZARDOUS WASTE MATERIALS: Personnel in all craft classifications subject to working inside a federally designated hazardous perimeter shall be elgible for compensation in accordance with the following group schedule relative to the level of hazardous waste as outlined in the specific hazardous waste project site safety plan. H-1 Base wage rate when on a hazardous waste site when not outfitted with protective clothing

H-2 Class "C" Suit - Base wage rate plus \$ .25 per hour.

H-3 Class "B" Suit - Base wage rate plus \$ .50 per hour.

H-4 Class "A" Suit - Base wage rate plus \$ .75 per hour.

ENGI0701-002 01/01/2004

CLARK, COWLITZ, KLICKKITAT, PACIFIC (SOUTH), SKAMANIA, AND WAHKIAKUM COUNTIES

		Rates	Fringes
	nent operators:		
(See Footnot	te A)		
ZONE 1:			
GROUP 1.		29.51	9.70
GROUP 1A	١	30.99	9.70
GROUP 1E	3	32.46	9.70

Zone Differential (add to Zone 1 rates):

Zone 2 - \$1.50 Zone 3 - 3.00

For the following metropolitan counties: MULTNOMAH; CLACKAMAS; MARION; WASHINGTON; YAMHILL; AND COLUMBIA; CLARK; AND COWLITZ COUNTY, WASHINGTON WITH MODIFICATIONS AS INDICATED:

All jobs or projects located in Multnomah, Clackamas and Marion Counties, West of the western boundary of Mt. Hood National Forest and West of Mile Post 30 on Interstate 84 and West of Mile Post 30 on State Highway 26 and West of Mile Post 30 on Highway 22 and all jobs or projects located in Yamhill County, Washington County and Columbia County and all jobs or porjects located in Clark & Cowlitz County, Washington except that portion of Cowlitz County in the Mt. St. Helens "Blast Zone" shall receive Zone I pay for all classifications.

All jobs or projects located in the area outside the identified boundary above, but less than 50 miles from the Portland City Hall shall receive Zone II pay for all classifications.

All jobs or projects located more than 50 miles from the Portland City Hall, but outside the identified border above, shall receive Zone III pay for all classifications.

For the following cities: ALBANY; BEND; COOS BAY; EUGENE; GRANTS PASS; KLAMATH FALLS; MEDFORD; ROSEBURG

All jobs or projects located within 30 miles of the respective city hall of the above mentioned cities shall receive Zone I pay for all classifications.

All jobs or projects located more than 30 miles and less than 50 miles from the respective city hall of the above mentioned cities shall receive Zone II pay for all classifications.

All jobs or projects located more than 50 miles from the respective city hall of the above mentioned cities shall receive Zone III pay for all classifications.

POWER EQUIPMENT OPERATORS CLASSIFICATIONS

GROUP 1: CONCRETE: Batch Plant and/or Wet Mix Operator, three units or more; CRANE: Helicopter Operator, when used in erecting work; Whirley Operator, 90 ton and over; LATTICE BOOM CRANE: Operator 200 tons through 299 tons, and/or over 200 feet boom; HYDRAULIC CRANE: Hydraulic Crane Operator 90

tons through 199 tons with luffing or tower attachments; FLOATING EQUIPMENT: Floating Crane, 150 ton but less than 250 ton

GROUP 1A: HYDRAULIC CRANE: Hydraulic Operator, 200 tons and over (with luffing or tower attachment); LATTICE BOOM CRANE: Operator, 200 tons through 299 tons, with over 200 feet boom; FLOATING EQUIPMENT: Floating Crane 250 ton and over

GROUP 1B: LATTICE BOOM CRANE: Operator, 300 tons through 399 tons with over 200 feet boom; Operator 400 tons and over; FLOATING EQUIPMENT: Floating Crane 350 ton and over

GROUP 2: ASPHALT: Asphalt Plant Operator (any type); Roto Mill, pavement profiler, operator, 6 foot lateral cut and over; BLADE: Auto Grader or "Trimmer" (Grade Checker required); Blade Operator, Robotic; BULLDOZERS: Bulldozer operator over 120,000 lbs and above; Bulldozer operator, twin engine; Bulldozer Operator, tandem, quadnine, D10, D11, and similar type; Bulldozere Robotic Equipment (any type; CONCRETE: Batch Plant and/or Wet Mix Operator, one and two drum; Automatic Concrete Slip Form Paver Operator; Concrete Canal Line Operator; Concrete Profiler, Diamond Head; CRANE: Cableway Operator, 25 tons and over; HYDRAULIC CRANE: Hydraulic crane operator 90 tons through 199 tons (with luffing or tower attachment); TOWER/WHIRLEY OPERATOR: Tower Crane Operator; Whirley Operator, under 90 tons; LATTICE BOOM CRANE: 90 through 199 tons and/or 150 to 200 feet boom; CRUSHER: Crusher Plant Operator; FLOATING EQUIPMENT: Floating Clamshell, etc.operator, 3 cu. yds. and over; Floating Crane (derrick barge) Operator, 30 tons but less than 150 tons; LOADERS: Loader operator, 120,000 lbs. and above; REMOTE CONTROL: Remote controlled earth-moving equipment; RUBBER-TIRED SCRAPERS: Rubber- tired scraper operator, with tandem scrapers, multi-engine; SHOVEL, DRAGLINE, CLAMSHELL, SKOOPER OPERATOR: Shovel, Dragline, Clamshell, operator 5 cu. yds and over; TRENCHING MACHINE: Wheel Excavator, under 750 cu. yds. per hour (Grade Oiler required); Canal Trimmer (Grade Oiler required); Wheel Excavator, over 750 cu. yds. per hour; Band Wagon (in conjunction with wheel excavator); UNDERWATER EQUIPMENT: Underwater Equipment Operator, remote or otherwise; HYDRAULIC HOES-EXCAVATOR: Excavator over 130,000 lbs.

GROUP 3: BULLDOZERS: Bulldozer operator, over 70,000 lbs. up to and including 120,000 lbs.; HYDRAULIC CRANE: Hydraulic crane operator, 50 tons through 89 tons (with luffing or tower attachment); LATTICE BOOM CRANES: Lattice Boom Crane-50 through 89 tons (and less than 150 feet boom); FORKLIFT: Rock Hound Operator; HYDRAULIC HOES-EXCAVATOR: excavator over 80,000 lbs. through 130,000 lbs.; LOADERS: Loader operator 60,000 and less than 120,000; RUBBER-TIRED SCRAPERS: Scraper Operator, with tandem scrapers; Self-loading, paddle wheel, auger type, finish and/or 2 or more units; SHOVEL, DRAGLINE, CLAMSHELL, SKOOPER OPERATOR: Shovel, Dragline, Clamshell operators 3 cu. yds. but less than 5 cu yds.

GROUP 4: ASPHALT: Screed Operator; Asphalt Paver operator (screeman required); BLADE: Blade operator; Blade operator, finish; Blade operator, externally controlled by electronic, mechanical hydraulic means; Blade operator, multi-engine; BULLDOZERS: Bulldozer Operator over 20,000 lbs and more than 100 horse up to 70,000 lbs; Drill Cat Operator; Side-boom Operator; Cable-Plow Operator (any type); CLEARING: Log Skidders; Chippers; Incinerator; Stump Splitter (loader mounted or similar type); Stump Grinder (loader mounted or similar type; Tub Grinder; Land Clearing Machine (Track mounted forestry mowing & grinding machine); Hydro Axe (loader mounted or similar type); COMPACTORS SELF-PROPELLED: Compactor Operator, with blade; Compactor Operator, multi-engine; Compactor Operator, robotic; CONCRETE: Mixer Mobile Operator; Screed Operator; Concrete Cooling Machine Operator; Concrete Paving Road Mixer; Concrete Breaker; Reinforced Tank Banding Machine (K-17 or similar types); Laser Screed; CRANE: Chicago boom and similar types; Lift Slab Machine Operator; Boom type lifting device, 5 ton capacity or less; Hoist Operator, two (2) drum; Hoist Operator, three (3) or more drums; Derrick Operator, under 100 ton; Hoist Operator, stiff leg, guy derrick or similar type, 50 ton and over; Cableway Operator up to twenty (25) ton; Bridge Crane Operator, Locomotive, Gantry, Overhead; Cherry Picker or similar type crane; Carry Deck Operator; Hydraulic Crane Operator, under 50 tons; LATTICE BOOM CRANE OPERATOR: Lattice Boom Crane Operator, under 50 tons; CRUSHER: Generator Operator; Diesel-Electric Engineer; Grizzley Operator; Drill Doctor; Boring Machine Operator; Driller-Percussion, Diamond, Core, Cable, Rotary and similar type; Cat Drill (John Henry); Directional Drill Operator over 20,000 lbs pullback; FLOATING EQUIPMENT: Diesel-electric Engineer; Jack Operator, elevating barges, Barge Operator, self- unloading; Piledriver Operator (not crane type) (Deckhand required); Floating Clamshelll, etc. Operator, under 3 cu. yds. (Fireman or Diesel-Electric Engineer required); Floating Crane (derrick barge) Operator, less than 30 tons; GENERATORS: Generator Operator; Diesel-electric Engineer; GUARDRAIL EQUIPMENT: Guardrail Punch Operator (all types); Guardrail Auger Operator (all types); Combination Guardrail machines, i.e., punch auger, etc.; HEATING PLANT: Surface Heater and Planer Operator; HYDRAULIC HOES EXCAVATOR: Robotic Hydraulic backhoe operator, track and wheel type up to and including 20,0000 lbs. with any or all attachments; Excavator Operator over 20,000 lbs through 80,000 lbs.; LOADERS: Belt Loaders, Kolman and Ko Cal types; Loaders Operator, front end and overhead, 25,000 lbs and less than 60,000 lbs; Elevating Grader Operator by Tractor operator, Sierra, Euclid or similar types; PILEDRIVERS: Hammer Operator; Piledriver Operator (not crane type); PIPELINE, SEWER WATER: Pipe Cleaning Machine Operator; Pipe Doping Machine Operator; Pipe Bending Machine Operator; Pipe Wrapping Machine Operator; Boring Machine Operator; Back Filling Machine Operator; REMOTE CONTROL: Concrete Cleaning Decontamination Machine Operator; Ultra High Pressure Water Jet Cutting Tool System Operator/Mechanic; Vacuum Blasting Machine Operator/mechanic; REPAIRMEN, HEAVY DUTY: Diesel

Electric Engineer (Plant or Floating; Bolt Threading Machine operator; Drill Doctor (Bit Grinder); H.D. Mechanic; Machine Tool Operator; RUBBER-TIRED SCRAPERS: Rubber-tired Scraper Operator, single engine, single scraper; Self-loading, paddle wheel, auger type under 15 cu. yds.; Rubber-tired Scraper Operator, twin engine; Rubber-tired Scraper Operator, with push- ull attachments; Self Loading, paddle wheel, auger type 15 cu. yds. and over, single engine; Water pulls, water wagons; SHOVEL, DRAGLINE, CLAMSHELL, SKOOPER OPERATOR: Diesel Electric Engineer; Stationay Drag Scraper Operator; Shovel, Dragline, Clamshell, Operator under 3 cy yds.; Grade-all Operator; SURFACE (BASE) MATERIAL: Blade mounted spreaders, Ulrich and similar types; TRACTOR-RUBBERED TIRED: Tractor operator, rubber-tired, over 50 hp flywheel; Tractor operator, with boom attachment; Rubber-tired dozers and pushers (Michigan, Cat, Hough type); Skip Loader, Drag Box; TRENCHING MACHINE: Trenching Machine operator, digging capacity over 3 ft depth; Back filling machine operator; TUNNEL: Mucking machine operator

GROUP 5: ASPHALT: Extrusion Machine Operator; Roller Operator (any asphalt mix); Asphalt Burner and Reconditioner Operator (any type); Roto-Mill, pavement profiler, ground man; BULLDOZERS: Bulldozer operator, 20,000 lbs. or less or 100 horse or less; COMPRESSORS: Compressor Operator (any power), over 1,250 cu. ft. total capacity; COMPACTORS: Compactor Operator, including vibratory; Wagner Pactor Operator or similar type (without blade); CONCRETE: Combination mixer and Compressor Operator, gunite work; Concrete Batch Plant Quality Control Operator; Beltcrete Operator; Pumpcrete Operator (any type); Pavement Grinder and/or Grooving Machine Operator (riding type); Cement Pump Operator, Fuller-Kenyon and similar; Concrete Pump Operator; Grouting Machine Operator; Concrete mixer operator, single drum, under (5) bag capacity; Cast in place pipe laying machine; maginnis Internal Full slab vibrator operator; Concrete finishing mahine operator, Clary, Johnson, Bidwell, Burgess Bridge deck or similar type; Curb Machine Operator, mechanical Berm, Curb and/or Curb and Gutter; Concrete Joint Machine Operator; Concrete Planer Operator; Tower Mobile Operator; Power Jumbo Operator setting slip forms in tunnels; Slip Form Pumps, power driven hydraulic lifting device for concrete forms; Concrete Paving Machine Operator; Concrete Finishing Machine Operator; Concrete Spreader Operator; CRANE: Helicopter Hoist Operator; Hoist Operator, single drum; Elevator Operator; A-frame Truck Operator, Double drum; Boom Truck Operator; HYDRAULIC CRANE OPERATOR: Hydraulic Boom Truck, Pittman; DRILLING: Churm Drill and Earth Boring Machine Operator; Vacuum Truck; Directional Drill Operator over 20,000 lbs pullback; FLOATING EQUIPMENT: Fireman; FORKLIFT: Fork Lift, over 10 ton and/or robotic; HYDRAULIC HOES EXCAVATORS: Hydraulic Backhoe Operator, wheel type (Ford, John Deere, Case type); Hydraulic Backhoe Operator track type up to and including 20,000 lbs.; LOADERS: Loaders, rubber- tired type, less than 25,000 lbs; Elevating Grader Operator, Tractor Towed requiring Operator or Grader; Elevating loader operator, Athey and similar types; OILERS:

Service oiler (Greaser); PIPELINE-SEWER WATER: Hydra hammer or simialr types; Pavement Breaker Operator; PUMPS: Pump Operator, more than 5 (any size); Pot Rammer Operator; RAILROAD EQUIPMENT: Locomotive Operator, under 40 tons; Ballast Regulator Operator; Ballast Tamper Multi-Purpose Operator; Track Liner Operator; Tie Spacer Operator; Shuttle Car Operator; Locomotive Operator, 40 tons and over; MATERIAL HAULRS: Cat wagon DJBs Volvo similar types; Conveyored material hauler; SURFACING (BASE) MATERIAL: Rock Spreaders, self-propelled; Pulva-mixer or similar types; Chiip Spreading machine operator; Lime spreading operator, construction job siter; SWEEPERS: Sweeper operator (Wayne type) self-propelled construction job site; TRACTOR-RUBBER TIRED: Tractor operator, rubber-tired, 50 hp flywheel and under; Trenching machine operator, maximum digging capacity 3 ft depth; TUNNEL: Dinkey

GROUP 6: ASPHALT: Plant Oiler; Plant Fireman; Pugmill Operator (any type); Truck mounted asphalt spreader, with screed; COMPRESSORS: Compressor Operator (any power), under 1,250 cu. ft. total capacity; CONCRETE: Plant Oiler, Assistant Conveyor Operator; Conveyor Operator; Mixer Box Operator (C.T.B., dry batch, etc.); Cement Hog Operator; Concrete Saw Operator; Concrete Curing Machine Operator (riding type); Wire Mat or Brooming Machine Operator; CRANE: Oiler; Fireman, all equipment; Truck Crane Oiler Driver; A-frame Truck Operator, single drum; Tugger or Coffin Type Hoist Operator; CRUSHER: Crusher Oiler; Crusher Feederman; CRUSHER: Crusher oiler; Crusher feederman; DRILLING: Drill Tender; Auger Oiler; FLOATING EQUIPMENT: Deckhand; Boatman; FORKLIFT: Self-propelled Scaffolding Operator, construction job site (exclduing working platform); Fork Lift or Lumber Stacker Operator, construction job site; Ross Carrier Operator, construction job site; Lull Hi-Lift Operator or Similar Type; GUARDRAIL EQUIPMENT: Oiler; Auger Oiler; Oiler, combination guardrail machines; Guardrail Punch Oiler; HEATING PLANT: Temporary Heating Plant Operator; LOADERS: Bobcat, skid steer (less than 1 cu yd.); Bucket Elevator Loader Operator, BarberGreene and similar types; OILERS: Oiler; Guardrail Punch Oiler; Truck Crane Oiler-Driver; Auger Oiler; Grade Oiler, required to check grade; Grade Checker; Rigger; PIPELINE-SEWER WATER: Tar Pot Fireman; Tar Pot Fireman (power agitated); PUMPS: Pump Operator (any power); Hydrostatic Pump Operator; RAILROAD EQUIPMENT: Brakeman; Oiler; Switchman; Motorman; Ballast Jack Tamper Operator; SHOVEL, DRAGLINE, CLAMSHELL, SKOOPER, ETC. OPERATOR: Oiler, Grade Oiler (required to check grade); Grade Checker; Fireman; SWEEPER: Broom operator, self propelled, construction job site; SURFACING (BASE) MATERIAL: Roller Operator, grading of base rock (not asphalt); Tamping Machine operartor, mechanical, self-propelled; Hydrographic Seeder Machine Operator; TRENCHING MACHINE: Oiler; Grade Oiler; TUNNEL: Conveyor operator; Air filtration equipment operator

ENGI0701-003 06/01/2002

CLARK, COWLITZ, KLICKITAT, PACIFIC (SOUTH), SKAMANIA, AND

# WAHKIAKUM COUNTIES

### DREDGING:

	Rates	Fringes
Dredging:		
ZONE A		
ASSISTANT ENGINEER\$	29.25	8.50
ASSISTANT MATE\$	26.58	8.50
LEVERMAN, DIPPER,		
FLOATING CLAMSHELL\$	30.25	8.50
LEVERMAN, HYDRAULIC\$		8.50
TENDERMAN\$	28.44	8.50
ZONE B		
ASSISTANT ENGINEER\$		8.50
ASSISTANT MATE\$	28.58	8.50
LEVERMAN, DIPPER,		
FLOATING CLAMSHELL\$		8.50
LEVERMAN, HYDRAULIC\$		8.50
TENDERMAN\$	30.44	8.50
ZONE C		
ASSISTANT ENGINEER\$		8.50
ASSISTANT MATE\$	29.58	8.50
LEVERMAN, DIPPER,		
FLOATING CLAMSHELL\$		8.50
LEVERMAN, HYDRAULIC\$		8.50
TENDERMAN\$	31.44	8.50

# ZONE DESCRIPTION FOR DREDGING:

ZONE A - All jobs or projects located within 30 road miles of Portland City Hall.

ZONE B - Over 30-50 road miles from Portland City Hall.

ZONE C - Over 50 road miles from Portland City Hall.

\*All jobs or projects shall be computed from the city hall by the shortest route to the geographical center of the project.

IRON0014-005 07/01/2003

ADAMS, ASOTIN, BENTON, COLUMBIA, DOUGLAS, FERRY, FRANKLIN, GARFIELD, GRANT, LINCOLN, OKANOGAN, PEND ORIELLE, SPOKANE, STEVENS, WALLA WALLA AND WHITMAN COUNTIES

	Rates	Fringes
Ironworker	\$ 26.32	12.45

\_\_\_\_\_\_

IRON0029-002 07/01/2003

CLARK, COWLITZ, KLICKITAT, PACIFIC, SKAMANIA, AND WAHKAIKUM COUNTIES

Rates Fringes

Ironworker\$	27.82	12.45
IRON0086-002 07/01/2003		
YAKIMA, KITTITAS AND CHELAN COUNTI	ES	
	Rates	Fringes
Ironworker\$		12.45
IRON0086-004 07/01/2003		
CLALLAM, GRAYS HARBOR, ISLAND, JEF MASON, PIERCE, SKAGIT, SNOHOMISH,		
	Rates	Fringes
Ironworker\$	28.57	12.45
* LAB00001-002 07/01/2003		
ZONE 1:		
Laborers:	Rates	Fringes
CALLAM, GRAYS HARBOR, ISLAND, JEFFERSON, KING, KITSAP, LEWIS, MASON, PACIFIC (NORTH OF STRAIGHT LINE MADE BY EXTENDING THE NORTH BOUNDARY WAHKIAKUM COUNTY WEST TO THE PACIFIC OCEAN), PIERCE, SAN JUAN, SKAGIT, SNOHOMISH, THURSTON AND WHATCOM COUNTIES		
GROUP 1\$ GROUP 2\$ GROUP 3\$ GROUP 4\$ GROUP 5\$ CHELAN, DOUGLAS (WEST OF THE 120TH MERIDIAN), KITTITAS AND YAKIMA	20.03 24.71 25.19	7.20 7.20 7.20 7.20 7.20
COUNTIES  GROUP 1\$  GROUP 2\$  GROUP 3\$  GROUP 4\$  GROUP 5\$  ZONE DIFFERENTIAL (ADD TO ZONE 1	16.91 18.63 19.11 19.47	7.20 7.20 7.20 7.20 7.20

ZONE 2 - \$ .70 ZONE 3 - \$1.00

BASE POINTS: CHELAN, SUNNYSIDE, WENATCHEE, AND YAKIMA

ZONE 1 - Projects within 25 radius miles of the respective city hall

ZONE 2 - More than 25 but less than 45 radius miles from the respective city hall

ZONE 3 - More than 45 radius miles from the respective city hall

BASE POINTS: BELLINGHAM, MT. VERNON, EVERETT, SEATTLE, KENT, TACOMA, OLYMPIA, CENTRALIA, ABERDEEN, SHELTON, PT. TOWNSEND, PT. ANGELES, AND BREMERTON

ZONE 1 - Projects within 25 radius miles of the respective city hall

ZONE 2 - More than 25 but less than 45 radius miles from the respective city hall

ZONE 3 - More than 45 radius miles from the respective city hall

### LABORERS CLASSIFICATIONS

GROUP 1: Landscaping and Planting; Watchman; Window Washer/Cleaner (detail clean-up, such as but not limited to cleaning floors, ceilings, walls, windows, etc., prior to final acceptance by the owner)

GROUP 2: Batch Weighman; Crusher Feeder; Fence Laborer; Flagman; Pilot Car

GROUP 3: General Laborer; Air, Gas, or Electric Vibrating Screed; Asbestos Abatement Laborer; Ballast Regulator Machine; Brush Cutter; Brush Hog Feeder; Burner; Carpenter Tender; Cement Finisher Tender; Change House or Dry Shack; Chipping Gun (under 30 lbs.); Choker Setter; Chuck Tender; Clean-up Laborer; Concrete Form Stripper; Curing Laborer; Demolition (wrecking and moving including charred material); Ditch Digger; Dump Person; Fine Graders; Firewatch; Form Setter; Gabian Basket Builders; Grout Machine Tender; Grinders; Guardrail Erector; Hazardous Waste Worker (Level C); Maintenance Person; Material Yard Person; Pot Tender; Rip Rap Person; Riggers; Scale Person; Sloper Sprayer; Signal Person; Stock Piler; Stake Hopper; Toolroom Man (at job site); Topper-Tailer; Track Laborer; Truck Spotter; Vinyl Seamer

GROUP 4: Cement Dumper-Paving; Chipping Gun (over 30 lbs.); Clary Power Spreader; Concrete Dumper/Chute Operator; Concrete Saw Operator; Drill Operator (hydraulic, diamond, aiartrac); Faller and Bucker Chain Saw; Grade Checker and Transit Person; Groutmen (pressure) including post tension beams; Hazardous Waste Worker (Level B); High Scaler; Jackhammer; Laserbeam Operator; Manhole Builder-Mudman; Mortarman and Hodcarrier; Nozzleman (concrete pump, green

cutter when using combination of high pressure air and water on concrete and rock, sandblast, gunite, shotcrete, water blaster, vacuum blaster); Pavement Breaker; Pipe Layer and Caulker; Pipe Pot Tender; Pipe Reliner (not insert type); Pipe Wrapper; Power Jacks; Railroad Spike Puller-Power; Raker-Asphalt; Rivet Buster; Rodder; Sloper (over 20 ft); Spreader (concrete); Tamper and Similar electric, air and glas operated tool; Timber Person-sewer (lagger shorer and cribber); Track Liner Power; Tugger Operator; Vibrator; Well Point Laborer

GROUP 5: Caisson Worker; Miner; Powderman; Re-Timberman; Hazardous Waste Worker (Level A).

-----

### LAB00238-004 06/01/2003

ADAMS, ASOTIN, BENTON, COLUMBIA, DOUGLAS (EAST OF THE 120TH MERIDIAN), FERRY, FRANKLIN, GARFIELD, GRANT, LINCOLN, OKANOGAN, PEND OREILLE, STEVENS, SPOKANE, WALLA WALLA AND WHITMAN COUNTIES

		Rates	Fringes
Laborers:			
ZONE 1:			
GROUP	1\$	17.36	6.50
GROUP	2\$	19.46	6.50
GROUP	3\$	19.73	6.50
GROUP	4\$	20.00	6.50
GROUP	5\$	20.28	6.50
GROUP	6\$	21.65	6.50

Zone Differential (Add to Zone 1 rate): \$2.00

BASE POINTS: Spokane, Moses Lake, Pasco, Lewiston

Zone 1: 0-45 radius miles from the main post office.

Zone 2: 45 radius miles and over from the main post office.

## LABORERS CLASSIFICATIONS

GROUP 1: Flagman; Landscape Laborer; Scaleman; Traffic Control Maintenance Laborer (to include erection and maintenance of barricades, signs and relief of flagperson); Window Washer/Cleaner (detail cleanup, such as, but not limited to cleaning floors, ceilings, walls, windows, etc. prior to final acceptance by the owner)

GROUP 2: Asbestos Abatement Worker; Brush Hog Feeder; Carpenter Tender; Cement Handler; Clean-up Laborer; Concrete Crewman (to include stripping of forms, hand operating jacks on slip form construction, application of concrete curing compounds, pumpcrete machine, signaling, handling the nozzle of squeezcrete or similar machine,6 inches and smaller); Confined Space Attendant; Concrete Signalman; Crusher Feeder; Demolition (to include clean-up, burning, loading, wrecking and salvage of all material); Dumpman; Fence Erector;

Firewatch; Form Cleaning Machine Feeder, Stacker; General Laborer; Grout Machine Header Tender; Guard Rail (to include guard rails, guide and reference posts, sign posts, and right-of-way markers); Hazardous Waste Worker, Level D (no respirator is used and skin protection is minimal); Miner, Class "A" (to include all bull gang, concrete crewman, dumpman and pumpcrete crewman, including distributing pipe, assembly & dismantle, and nipper); Nipper; Riprap Man; Sandblast Tailhoseman; Scaffold Erector (wood or steel); Stake Jumper; Structural Mover (to include separating foundation, preparation, cribbing, shoring, jacking and unloading of structures); Tailhoseman (water nozzle); Timber Bucker and Faller (by hand); Track Laborer (RR); Truck Loader; Well-Point Man; All Other Work Classifications Not Specially Listed Shall Be Classified As General Laborer

GROUP 3: Aspahlt Raker; Asphalt Roller, walking; Cement Finisher Tender; Concrete Saw, walking; Demolition Torch; Dope Pot Firemen, non-mechanical; Driller Tender (when required to move and position machine); Form Setter, Paving; Grade Checker using level; Hazardous Waste Worker, Level C (uses a chemical "splash suit" and air purifying respirator); Jackhammer Operator; Miner, Class "B" (to include brakeman, finisher, vibrator, form setter); Nozzleman (to include squeeze and flo-crete nozzle); Nozzleman, water, air or steam; Pavement Breaker (under 90 lbs.); Pipelayer, corrugated metal culvert; Pipelayer, multi- plate; Pot Tender; Power Buggy Operator; Power Tool Operator, gas, electric, pneumatic; Railroad Equipment, power driven, except dual mobile power spiker or puller; Railroad Power Spiker or Puller, dual mobile; Rodder and Spreader; Tamper (to include operation of Barco, Essex and similar tampers); Trencher, Shawnee; Tugger Operator; Wagon Drills; Water Pipe Liner; Wheelbarrow (power driven)

GROUP 4: Air and Hydraulic Track Drill; Brush Machine (to include horizontal construction joint cleanup brush machine, power propelled); Caisson Worker, free air; Chain Saw Operator and Faller; Concrete Stack (to include laborers when laborers working on free standing concrete stacks for smoke or fume control above 40 feet high); Gunite (to include operation of machine and nozzle); Hazardous Waste Worker, Level B (uses same respirator protection as Level A. A supplied air line is provided in conjunction with a chemical "splash suit"); High Scaler; Laser Beam Operator (to include grade checker and elevation control); Miner, Class C (to include miner, nozzleman for concrete, laser beam operator and rigger on tunnels); Monitor Operator (air track or similar mounting); Mortar Mixer; Nozzleman (to include jet blasting nozzleman, over 1,200 lbs., jet blast machine power propelled, sandblast nozzle); Pavement Breaker (90 lbs. and over); Pipelayer (to include working topman, caulker, collarman, jointer, mortarman, rigger, jacker, shorer, valve or meter installer); Pipewrapper; Plasterer Tender; Vibrators (all)

GROUP 5 - Drills with Dual Masts; Hazardous Waste Worker,

Level A (utilizes a fully encapsulated suit with a self-contained breathing apparatus or a supplied air line); Miner Class "D", (to include raise and shaft miner, laser beam operator on riases and shafts)

### GROUP 6 - Powderman

-----

#### LAB00238-006 07/01/2003

COUNTIES EAST OF THE 120TH MERIDIAN: ADAMS, ASOTIN, BENTON, COLUMBIA, DOUGLAS, FERRY, FRANKLIN, GARFIELD, GRANT, LINCOLN, OKANOGAN, PEND OREILLE, STEVENS, SPOKANE, WALLA WALLA, WHITMAN

	Rates	Fringes
Hod Carrier\$	20.95	6.50

### LAB00335-001 06/01/2003

CLARK, COWLITZ, KLICKITAT, PACIFIC (SOUTH OF A STRAIGHT LINE MADE BY EXTENDING THE NORTH BOUNDARY LINE OF WAHKIAKUM COUNTY WEST TO THE PACIFIC OCEAN), SKAMANIA AND WAHKIAKUM COUNTIES

Rates	Fringes
77 <b>9</b> 7	7.40
	7.40
	7.40
24.18	7.40
20.70	7.40
18.54	7.40
15.71	7.40
1 rates):	
	22.92 23.44 23.84 24.18 20.70 18.54 15.71

# BASE POINTS: GOLDENDALE, LONGVIEW, AND VANCOUVER

ZONE 1: Projects within 30 miles of the respective city all. ZONE 2: More than 30 miles but less than 40 miles from the

respective city hall.

ZONE 3: More than 40 miles but less than 50 miles from the respective city hall.

ZONE 4: More than 50 miles but less than 80 miles from the respective city hall.

ZONE 5: More than 80 miles from the respective city hall.

### LABORERS CLASSIFICATIONS

GROUP 1: Asphalt Plant Laborers; Asphalt Spreaders; Batch

Weighman; Broomers; Brush Burners and Cutters; Car and Truck Loaders; Carpenter Tender; Change-House Man or Dry Shack Man; Choker Setter; Clean-up Laborers; Curing, Concrete; Demolition, Wrecking and Moving Laborers; Dumpers, road oiling crew; Dumpmen (for grading crew); Elevator Feeders; Guard Rail, Median Rail Reference Post, Guide Post, Right of Way Marker; Fine Graders; Fire Watch; Form Strippers (not swinging stages); General Laborers; Hazardous Waste Worker; Leverman or Aggregate Spreader (Flaherty and similar types); Loading Spotters; Material Yard Man (including electrical); Pittsburgh Chipper Operator or Similar Types; Railroad Track Laborers; Ribbon Setters (including steel forms); Rip Rap Man (hand placed); Road Pump Tender; Sewer Labor; Signalman; Skipman; Slopers; Spraymen; Stake Chaser; Stockpiler; Tie Back Shoring; Timber Faller and Bucker (hand labor); Toolroom Man (at job site); Tunnel Bullgang (above ground); Weight-Man- Crusher (aggregate when used)

GROUP 2: Applicator (including pot power tender for same), applying protective material by hand or nozzle on utility lines or storage tanks on project; Brush Cutters (power saw); Burners; Choker Splicer; Clary Power Spreader and similar types; Clean- up Nozzleman-Green Cutter (concrete, rock, etc.); Concrete Power Buggyman; Concrete Laborer; Crusher Feeder; Demolition and Wrecking Charred Materials; Gunite Nozzleman Tender; Gunite or Sand Blasting Pot Tender; Handlers or Mixers of all Materials of an irritating nature (including cement and lime); Tool Operators (includes but not limited to: Dry Pack Machine; Jackhammer; Chipping Guns; Paving Breakers); Pipe Doping and Wrapping; Post Hole Digger, air, gas or electric; Vibrating Screed; Tampers; Sand Blasting (Wet); Stake-Setter; Tunnel-Muckers, Brakemen, Concrete Crew, Bullgang (underground)

GROUP 3: Asbestos Removal; Bit Grinder; Drill Doctor; Drill Operators, air tracks, cat drills, wagon drills, rubber-mounted drills, and other similar types including at crusher plants; Gunite Nozzleman; High Scalers, Strippers and Drillers (covers work in swinging stages, chairs or belts, under extreme conditions unusual to normal drilling, blasting, barring-down, or sloping and stripping); Manhole Builder; Powdermen; Concrete Saw Operator; Pwdermen; Power Saw Operators (Bucking and Falling); Pumpcrete Nozzlemen; Sand Blasting (Dry); Sewer Timberman; Track Liners, Anchor Machines, Ballast Regulators, Multiple Tampers, Power Jacks, Tugger Operator; Tunnel-Chuck Tenders, Nippers and Timbermen; Vibrator; Water Blaster

GROUP 4: Asphalt Raker; Concrete Saw Operator (walls); Concrete Nozzelman; Grade Checker; Pipelayer; Laser Beam (pipelaying)-applicable when employee assigned to move, set up, align; Laser Beam; Tunnel Miners; Motorman-Dinky Locomotive-Tunnel; Powderman-Tunnel; Shield Operator-Tunnel

GROUP 5: Traffic Flaggers

GROUP 6: Fence Builders

GROUP 7: Landscaping or Planti			
* LAB00335-010 06/01/2003			
CLARK, COWLITZ, KLICKITAT, PACIFIC (SOUTH OF A STRAIGHT LINE MADE BY EXTENDING THE NORTH BOUNDARY LINE OF WAHKIAKUM COUNTY WEST TO THE PACIFIC OCEAN), SKAMANIA AND WAHKIAKUM COUNTIES			
	Rates	Fringes	
Hod Carrier	\$ 24.69	7.40	
PAIN0005-002 06/01/2003			
STATEWIDE EXCEPT CLARK, COWLITZ, KLICKITAT, PACIFIC (SOUTH), SKAMANIA, AND WAHKIAKUM COUNTIES			
	Rates	Fringes	
Painters: STRIPERS\$		6.42	
PAIN0005-004 07/01/2002			
CLALLAM, GRAYS HARBOR, ISLAND, JEFFERSON, KING, KITSAP, LEWIS, MASON, PIERCE, SAN JUAN, SKAGIT, SNOHOMISH, THURSTON AND WHATCOM COUNTIES			
	Rates	Fringes	
Painter		5.36	
PAIN0005-006 07/01/2003			
ADAMS, ASOTIN; BENTON AND FRANKLIN (EXCEPT HANFORD SITE); CHELAN, COLUMBIA, DOUGLAS, FERRY, GARFIELD, GRANT, KITTITAS,			

ADAMS, ASOTIN; BENTON AND FRANKLIN (EXCEPT HANFORD	SITE);
CHELAN, COLUMBIA, DOUGLAS, FERRY, GARFIELD, GRANT,	KITTITAS,
LINCOLN, OKANOGAN, PEND OREILLE, SPOKANE, STEVENS,	WALLA WALLA,
WHITMAN AND YAKIMA COUNTIES	

	Rates	Fringes
Painters: Application of Cold Tar Products, Epoxies, Polyure thanes, Acids, Radiation Resistant Material, Water and Sandblasting, Bridges,		
Towers, Tanks, Stacks, Steeples Brush, Roller,	\$ 19.97	6.22
Striping, Steam-cleaning and Spray	\$ 18.97	6.22

Lead Abatement,		
Asbestos Abatement\$	19.97	6.22
TV Radio, Electrical		
Transmission Towers\$	20.72	6.22

\*\$.70 shall be paid over and above the basic wage rates listed for work on swing stages and high work of over 30 feet.

PAIN0055-002 07/01/2003

CLARK, COWLITZ, KLICKITAT, PACIFIC, SKAMANIA, AND WAHKIAKUM COUNTIES

	Rates	Fringes
Painters:		
Brush & Roller	\$ 17.61	6.12
High work – All work 60		
ft. or higher	\$ 18.36	6.12
Spray and Sandblasting	\$ 18.21	6.12

PAIN0055-007 06/01/2003

CLARK, COWLITZ, KLICKITAT, SKAMANIA and WAHKIAKUM COUNTIES

	Rates	Fringes	
Painters:			
HIGHWAY AND PARKING LOT STRIPER	\$ 24.79	5.75	

PLAS0072-004 06/01/2002

ADAMS, ASOTIN, BENTON, CHELAN, COLUMBIA, DOUGLAS, FERRY, FRANKLIN, GARFIELD, GRANT, KITTITAS, LINCOLN, OKANOGAN, PEND OREILLE, SPOKANE, STEVENS, WALLA WALLA, WHITMAN, AND YAKIMA COUNTIES

	Rates	Fringes
Cement Mason ZONE 1:\$	5 22.33	5.98
Zone Differential (Add to Zone	1 rate): Zone 2	- \$2.00
BASE POINTS: Spokane, Pasco, M Zone 1: 0 - 45 radius miles fr Zone 2: Over 45 radius miles f	om the main post	office

\_\_\_\_\_\_

PLAS0528-001 06/01/2003

CLALLAM, GRAYS HARBOR, ISLAND, JEFFERSON, KING, KITSAP, LEWIS, MASON, PACIFIC (NORTH), PIERCE, SAN JUAN, SKAGIT, SNOHOMISH, THURSTON, AND WHATCOM COUNTIES

	Rates	Fringes
Cement Masons: CEMENT MASON\$ COMPOSITION, COLOR MASTIC, TROWEL MACHINE, GRINDER, POWER TOOLS, GUNNITE NOZZLE\$		10.42
PLAS0555-002 12/01/2003		
CLARK, COWLITZ, KLICKITAT, PACIFI WAHKIAKUM COUNTIES	C (SOUTH), SKAMA	NIA, AND
ZONE 1:		
	Rates	Fringes
Cement Masons: CEMENT MASONS DOING BOTH COMPOSITION/POWER MACHINERY AND SUSPENDED/HANGING		
SCAFFOLD\$ CEMENT MASONS ON	25.96	10.50
SUSPENDED, SWINGING AND/OR HANGING SCAFFOLD\$ CEMENT MASONS\$ COMPOSITION WORKERS AND POWER MACHINERY	25.04	10.50 10.50
OPERATORS\$  Zone Differential (Add To Zone Zone 2 - \$0.65  Zone 3 - 1.15  Zone 4 - 1.70  Zone 5 - 2.75		10.50
BASE POINTS: BEND, CORVALLIS, PORTLAND, SALEM, THE DALLES, VA		, MEDFORD,
ZONE 1: Projects within 30 mil ZONE 2: More than 30 miles but respective city hall. ZONE 3: More than 40 miles but respective city hall. ZONE 4: More than 50 miles but respective city hall. ZONE 5: More than 80 miles fro	less than 40 mi less than 50 mi less than 80 mi	les from the les from the
PLUM0032-002 06/01/2003		
CLALLAM, KING AND JEFFERSON COUNTIES		
	Rates	Fringes

W912DW-04-R-0011

Plumbers and Pipefitters\$	34.43	13.43	
PLUM0032-003 06/01/2003			
CHELAN, KITTITAS (NORTHERN TIP), DO (NORTH) COUNTIES	OUGLAS (NORTH),	AND OKANOGAN	
	Rates	Fringes	
Plumbers and Pipefitters\$		10.98	
PLUM0044-003 06/01/2003			
ADAMS (NORTHERN PART), ASOTIN (CLAI PART), LINCOLN (EASTERN PART), PENI AND WHITMAN COUNTIES			
	Rates	Fringes	
Plumbers and Pipefitters\$	26.01	10.74	
PLUM0082-001 06/01/2003			
CLARK (NORTHERN TIP INCLUDING WOODLAND), COWLITZ, GRAYS HARBOR, LEWIS, MASON (EXCLUDING NE SECTION), PACIFIC, PIERCE SKAMANIA, THURSTON AND WAHKIAKUM COUNTIES			
	Rates	Fringes	
Plumbers and Pipefitters\$	30.05	12.47	
PLUM0265-003 01/01/2003			
ISLAND, SKAGIT, SNOHOMISH, SAN JUAN	AND WHATCOM CO	UNTIES	
	Rates	Fringes	
Plumbers and Pipefitters\$		11.62	
PLUM0290-003 10/01/2003			
CLARK (ALL EXCLUDING NORTHERN TIP	INCLUDING CITY	OF WOODLAND)	
	Rates	Fringes	
Plumbers and Pipefitters\$		13.28	
PLUM0598-005 06/01/2003			
ADAMS (SOUTHERN PART), ASOTIN (EXCLUDING THE CITY OF			

CLARKSTON), BENTON, COLUMBIA, DOUGLAS (EASTERN HALF), FERRY (WESTERN PART), FRANKLIN, GARFIELD, GRANT, KITTITAS (ALL BUT NORTHERN TIP), KLICKITAT, LINCOLN (WESTERN PART), OKANOGAN (EASTERN), WALLA WALLA AND YAKIMA COUNTIES

	Rates	Fringes
Plumber\$	30.38	14.20
PLUM0631-001 06/01/2003		
MASON (NE SECTION), AND KITSAP COUN	NTIES	
	Rates	Fringes
Plumbers and Pipefitters All new construction, additions, and remodeling of commercial building projects such as: cocktail lounges and taverns, professional buildings, medical clinics, retail stores, hotels and motels, restaurants and fast food types, gasoline service stations, and car washes where the plumbing and mechanical cost of the project is less than \$100,000\$ All other work where the plumbing and mechanical cost of the project is \$100,000 and		5.43
over\$ 7	28.79	12.47

-----

### TEAM0037-002 06/01/2003

CLARK, COWLITZ, KLICKITAT, PACIFIC (South of a straight line made by extending the north boundary line of Wahkiakum County west to the Pacific Ocean), SKAMANIA, AND WAHKIAKUM COUNTIES

		Rates	Fringes
Truck dri	vers:		
ZONE 1			
GROUP	1\$	23.90	8.78
GROUP	2\$	24.02	8.75
GROUP	3\$	24.15	8.75
GROUP	4\$	24.41	8.75
GROUP	5\$	24.63	8.75
GROUP	6\$	24.79	8.75

GROUP 7.....\$ 24.99 8.75

Zone Differential (Add to Zone 1 Rates):

Zone 2 - \$0.65

Zone 3 - 1.15

Zone 4 - 1.70

Zone 5 - 2.75

BASE POINTS: ASTORIA, THE DALLES, LONGVIEW AND VANCOUVER

ZONE 1: Projects within 30 miles of the respective city hall.

ZONE 2: More than 30 miles but less than 40 miles from the respective city hall.

ZONE 3: More than 40 miles but less than 50 miles from the respective city hall.

ZONE 4: More than 50 miles but less than 80 miles from the respective city hall.

ZONE 5: More than 80 miles from the respective city hall.

# TRUCK DRIVERS CLASSIFICATIONS

GROUP 1: A Frame or Hydra lifrt truck w/load bearing surface; Articulated dump truck; Battery Rebuilders; Bus or Manhaul Driver; Concrete Buggies (power operated); Concrete pump truck; Dump Trucks, side, end and bottom dumps, including Semi Trucks and Trains or combinations there of: up to and including 10 cu. yds.; Lift Jitneys, Fork Lifts (all sizes in loading, unloading and transporting material on job site); Loader and/or Leverman on Concrete Dry Batch Plant (manually operated); Pilot Car; Pickup truck; Solo Flat Bed and misc. Body Trucks, 0-10 tons; Truck Tender; Truck Mechanic Tender; Water Wagons (rated capacity) up to 3,000 gallons; Transit Mix and Wet or Dry Mix - 5 cu. yds. and under; Lubrication Man, Fuel Truck Driver, Tireman, Wash Rack, Steam Cleaner or combinations; Team Driver; Slurry Truck Driver or Leverman; Tireman

GROUP 2: Boom truck/hydra lift or retracting crane; Challenger; Dumpsters or similar equipment all sizes; Dump Trucks/articulated dumps 6 cu to 10 cu.; Flaherty Spreader Driver or Leverman; Lowbed Equipment, Flat Bed Semi-trailer or doubles transporting equipment or wet or dry materials; Lumber Carrier, Driver-Straddle Carrier (used in loading, unloading and transporting of materials on job site); Oil Distributor Driver or Leverman; Transit mix and wet or dry mix trcuks: over 5 cu. yds. and including 7 cu. yds.; Vacuum trucks; Water truck/Wagons (rated capacity) over 3,000 to 5,000 gallons

GROUP 3: Ammonia nitrate distributor driver; Dump trucks, side, end and bottom dumps, including Semi Trucks and Trains or combinations thereof: over 10 cu. yds. and including 30

cu. yds. includes Articulated dump trucks; Selfpropelled street sweeper; Transit mix and wet or dry mix truck: over 7 cu yds. and including 11 cu yds.; Truck Mechanic-Welder-Body Repairman; Utility and cleanup truck; Water Wagons (rated capacity) over 5,000 to 10,000 gallons

GROUP 4: Asphalt burner; Dump Trucks, side, end and bottom cumps, including Semi-Trucks and Trains or combinations thereof: over 30 cu. yds. and including 50 cu. yds. includes articulated dump trucks; Fire guard; Transit Mix and Wet or Dry Mix Trucks, over 11 cu. yds. and including 15 cu. yds.; Water Wagon (rated capacity) over 10,000 gallons to 15,000 gallons

GROUP 5: Dump Trucks, side, end and bottom dumps, including Semi Trucks and Trains or combinations thereof: over 50 cu. yds. and including 60 cu. yds. includes articulated dump trucks

GROUP 6: Bulk cement spreader w/o auger; Dry prebatch concrete mix trucks; Dump trucks, side, end and bottom dumps, including Semi Trucks and Trains of combinations thereof: over 60 cu. yds. and including 80 cu. yds., and includes articulated dump trucks; Skid truck

GROUP 7: Dump Trucks, side, end and bottom dumps, including Semi Trucks and Trains or combinations thereof: over 80 cu. yds. and including 100 cu. yds., includes articulated dump trucks; Industrial lift truck (mechanical tailgate)

#### TEAM0174-001 06/01/2002

CLALLAM, GRAYS HARBOR, ISLAND, JEFFERSON, KING, KITSAP, LEWIS, MASON, PACIFIC (North of a straight line made by extending the north boundary line of Wahkiakum County west to the Pacific Ocean), PIERCE, SAN JUAN, SKAGIT, SNOHOMISH, THURSTON AND WHATCOM COUNTIES

		Rates	Fringes
Truck driv	vers:		
ZONE A:			
GROUP	1:\$	25.79	9.68
GROUP	2:\$	25.21	9.68
GROUP	3:\$	22.81	9.68
GROUP	4:\$	18.56	9.68
GROUP	5:\$	25.55	9.68

ZONE B (25-45 miles from center of listed cities\*): Add \$.70 per hour to Zone A rates.

ZONE C (over 45 miles from centr of listed cities\*): Add \$1.00 per hour to Zone A rates.

\*Zone pay will be calculated from the city center of the following listed cities:

BELLINGHAM CENTRALIA RAYMOND OLYMPIA

EVERETT SHELTON ANACORTES BELLEVUE
SEATTLE PORT ANGELES MT. VERNON KENT
TACOMA PORT TOWNSEND ABERDEEN BREMERTON

### TRUCK DRIVERS CLASSIFICATIONS

GROUP 1 - "A-frame or Hydralift" trucks and Boom trucks or similar equipment when "A" frame or "Hydralift" and Boom truck or similar equipment is used; Buggymobile; Bulk Cement Tanker; Dumpsters and similar equipment, Tournorockers, Tournowagon, Tournotrailer, Cat DW series, Terra Cobra, Le Tourneau, Westinghouse, Athye Wagon, Euclid Two and Four-Wheeled power tractor with trailer and similar top-loaded equipment transporting material: Dump Trucks, side, end and bottom dump, including semi-trucks and trains or combinations thereof with 16 yards to 30 yards capacity: Over 30 yards \$.15 per hour additional for each 10 yard increment; Explosive Truck (field mix) and similar equipment; Hyster Operators (handling bulk loose aggregates); Lowbed and Heavy Duty Trailer; Road Oil Distributor Driver; Spreader, Flaherty Transit mix used exclusively in heavy construction; Water Wagon and Tank Truck-3,000 gallons and over capacity

GROUP 2 - Bulllifts, or similar equipment used in loading or unloading trucks, transporting materials on job site; Dumpsters, and similar equipment, Tournorockers, Tournowagon, Turnotrailer, Cat. D.W. Series, Terra Cobra, Le Tourneau, Westinghouse, Athye wagon, Euclid two and four-wheeled power tractor with trailer and similar top-loaded equipment transporting material: Dump trucks, side, end and bottom dump, including semi-trucks and trains or combinations thereof with less than 16 yards capacity; Flatbed (Dual Rear Axle); Grease Truck, Fuel Truck, Greaser, Battery Service Man and/or Tire Service Man; Leverman and loader at bunkers and batch plants; Oil tank transport; Scissor truck; Slurry Truck; Sno-Go and similar equipment; Swampers; Straddler Carrier (Ross, Hyster) and similar equipment; Team Driver; Tractor (small, rubber-tired) (when used within Teamster jurisdiction); Vacuum truck; Water Wagon and Tank trucks-less than 3,000 gallons capacity; Winch Truck; Wrecker, Tow truck and similar equipment

GROUP 3 - Flatbed (single rear axle); Pickup Sweeper; Pickup Truck. (Adjust Group 3 upward by \$2.00 per hour for onsite work only)

GROUP 4 - Escort or Pilot Car

GROUP 5 - Mechanic

## HAZMAT PROJECTS

Anyone working on a HAZMAT job, where HAZMAT certification is required, shall be compensated as a premium, in addition to the classification working in as follows:

LEVEL C: +\$.25 per hour - This level uses an air purifying respirator or additional protective clothing.

LEVEL B: +\$.50 per hour - Uses same respirator protection as Level A. Supplied air line is provided in conjunction with a chemical "splash suit."

LEVEL A: +\$.75 per hour - This level utilizes a fully-encapsulated suit with a self-contained breathing apparatus or a supplied air line.

-----

#### TEAM0760-002 06/01/2003

ADAMS, ASOTIN, BENTON, CHELAN, COLUMBIA, DOUGLAS, FERRY, FRANKLIN, GARFIELD, GRANT KITTITAS, LINCOLN, OKANOGAN, PEND OREILLE, SPOKANE, STEVENS, WALLA WALLA, AND WHITMAN COUNTIES

	Rates	Fringes
Truck drivers: (ANYONE WORKING ON HAZMAT JOBS SEE FOOTNOTE A BELOW) ZONE 1: (INCLUDES ALL OF YAKIMA COUNTY)		
GROUP 1\$	17.93	9.00
GROUP 2\$	20.20	9.00
GROUP 3\$	20.70	9.00
GROUP 4\$	21.03	9.00
GROUP 5\$	21.14	9.00
GROUP 6\$	21.31	9.00
GROUP 7\$	21.84	9.00
GROUP 8\$	22.17	9.00

Zone Differential (Add to Zone 1 rate: Zone 2 - \$2.00)

BASE POINTS: Spokane, Moses Lake, Pasco, Lewiston Zone 1: 0-45 radius miles from the main post office. Zone 2: 45 radius miles and over from the main post office

### TRUCK DRIVERS CLASSIFICATIONS

GROUP 1: Escort Driver or Pilot Car; Employee Haul; Power Boat Hauling Employees or Material

GROUP 2: Fish Truck; Flat Bed Truck; Fork Lift (3000 lbs. and under); Leverperson (loading trucks at bunkers); Trailer Mounted Hydro Seeder and Mulcher; Seeder & Mulcher; Stationary Fuel Operator; Tractor (small, rubber-tired, pulling trailer or similar equipment)

GROUP 3: Auto Crane (2000 lbs. capacity); Buggy Mobile & Similar; Bulk Cement Tanks & Spreader; Dumptor (6 yds. & under); Flat Bed Truck with Hydraullic System; Fork Lift (3001-16,000 lbs.); Fuel Truck Driver, Steamcleaner & Washer; Power Operated Sweeper; Rubber-tired Tunnel Jumbo; Scissors Truck; Slurry Truck Driver; Straddle Carrier (Ross, Hyster, & similar); Tireperson; Transit Mixers & Truck Hauling Concrete (3 yd. to & including 6 yds.); Trucks, side, end, bottom & articulated end dump (3 yards to and including 6 yds.); Warehouseperson (to include shipping & receiving); Wrecker &

### Tow Truck

GROUP 4: A-Frame; Burner, Cutter, & Welder; Service Greaser; Trucks, side, end, bottom & articulated end dump (over 6 yards to and including 12 yds.); Truck Mounted Hydro Seeder; Warehouseperson; Water Tank truck (0-8,000 gallons)

GROUP 5: Dumptor (over 6 yds.); Lowboy (50 tons & under); Self- loading Roll Off; Semi-Truck & Trailer; Tractor with Steer Trailer; Transit Mixers and Trucks Hauling Concrete (over 6 yds. to and including 10 yds.); Trucks, side, end, bottom and end dump (over 12 yds. to & including 20 yds.); Truck-Mounted Crane (with load bearing surface either mounted or pulled, up to 14 ton); Vacuum Truck (super sucker, guzzler, etc.)

GROUP 6: Flaherty Spreader Box Driver; Flowboys; Fork Lift (over 16,000 lbs.); Dumps (Semi-end); Mechanic (Field); Semi-end Dumps; Transfer Truck & Trailer; Transit Mixers & Trucks Hauling Concrete (over 10 yds. to & including 20 yds.); Trucks, side, end, bottom and articulated end dump (over 20 yds. to & including 40 yds.); Truck and Pup; Tournarocker, DWs & similar with 2 or more 4 wheel-power tractor with trailer, gallonage or yardage scale, whichever is greater Water Tank Truck (8,001- 14,000 gallons)

GROUP 7: Oil Distributor Driver; Stringer Truck (cable operated trailer); Transit Mixers & Trucks Hauling Concrete (over 20 yds.); Truck, side, end, bottom end dump (over 40 yds. to & including 100 yds.); Truck Mounted Crane (with load bearing surface either mounted or pulled (16 through 25 tons);

GROUP 8: Prime Movers and Stinger Truck; Trucks, side, end, bottom and articulated end dump (over 100 yds.); Helicopter Pilot Hauling Employees or Materials

Footnote A - Anyone working on a HAZMAT job, where HAZMAT certification is required, shall be compensated as a premium, in additon to the classification working in as follows: LEVEL C-D: - \$.50 PER HOUR (This is the lowest level of protection. This level may use an air purifying respirator or additional protective clothing.

LEVEL A-B: - \$1.00 PER HOUR (Uses supplied air is conjunction with a chemical spash suit or fully encapsulated suit with a

# NOTE:

Trucks Pulling Equipment Railers: shall receive \$.15/hour over applicable truck rate

WELDERS - Receive rate prescribed for craft performing operation to which welding is incidental.

self-contained breathing apparatus.

\_\_\_\_\_\_

Unlisted classifications needed for work not included within the scope of the classifications listed may be added after award only as provided in the labor standards contract clauses (29CFR 5.5 (a) (1) (ii)).

-----

In the listing above, the "SU" designation means that rates listed under the identifier do not reflect collectively bargained wage and fringe benefit rates. Other designations indicate unions whose rates have been determined to be prevailing.

-----

#### WAGE DETERMINATION APPEALS PROCESS

- ${\bf 1.}$ ) Has there been an initial decision in the matter? This can be:
- \* an existing published wage determination
- \* a survey underlying a wage determination
- \* a Wage and Hour Division letter setting forth a position on a wage determination matter
- \* a conformance (additional classification and rate) ruling

On survey related matters, initial contact, including requests for summaries of surveys, should be with the Wage and Hour Regional Office for the area in which the survey was conducted because those Regional Offices have responsibility for the Davis-Bacon survey program. If the response from this initial contact is not satisfactory, then the process described in 2.) and 3.) should be followed.

With regard to any other matter not yet ripe for the formal process described here, initial contact should be with the Branch of Construction Wage Determinations. Write to:

Branch of Construction Wage Determinations Wage and Hour Division U.S. Department of Labor 200 Constitution Avenue, N.W. Washington, DC 20210

2.) If the answer to the question in 1.) is yes, then an interested party (those affected by the action) can request review and reconsideration from the Wage and Hour Administrator (See 29 CFR Part 1.8 and 29 CFR Part 7). Write to:

Wage and Hour Administrator U.S. Department of Labor 200 Constitution Avenue, N.W. Washington, DC 20210

The request should be accompanied by a full statement of the interested party's position and by any information (wage payment data, project description, area practice material, etc.) that the requestor considers relevant to the issue.

3.) If the decision of the Administrator is not favorable, an interested party may appeal directly to the Administrative Review Board (formerly the Wage Appeals Board). Write to:

Administrative Review Board U.S. Department of Labor 200 Constitution Avenue, N.W. Washington, DC 20210

4.) All decisions by the Administrative Review Board are final.

\_\_\_\_\_\_

END OF GENERAL DECISION